

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING


Kendon

KENDOCIDE

ALGICIDE & BACTERICIDE

ACTIVE CONSTITUENT: 423p/L
DICHLOROPHEN PRESENT
AS SODIUM SALT

To remove unwanted
liverwort, and algae and
moss from synthetic courts,
pavements, lawns and pots.



500ml

Makes up to 5000L *

Professional Concentrate

Kendon Chemical & MNFG. CO. PTY LTD 71 McClure Street,
Thornbury, Vic. 3071. Ph (03) 9497 2822
AN AUSTRALIAN OWNED COMPANY. EST 1950.

SAFETY DIRECTIONS: Harmful if swallowed. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Corrosive. Attacks eyes and will damage skin. Avoid contact with eyes and skin. When opening the container and preparing spray or solution wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). PVC apron and elbow-length PVC gloves, face shield and impervious footwear. When using the prepared spray or solution wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves and face shield. If clothing becomes contaminated with product remove clothing immediately. If product is on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves face shield and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre, phone 131126. If swallowed, do NOT induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

GENERAL INSTRUCTIONS:
MIXING: Do not use galvanised or aluminium vessels for mixing. Plastic or other metallic vessels are suitable. Do not combine with any other material.

METHOD OF APPLICATION: Apply with spray or watering can, wetting affected area thoroughly. For heavy infestations on pathways, brushing with a stiff broom before solution dries will assist penetration. When applying to growing plants test a small sample to ensure that treatment will not be harmful.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT: Dangerous to fish, do not contaminate lakes, rivers, ponds or streams with waste chemicals.

STORAGE AND DISPOSAL: Store in original container, tightly closed in a safe place. Triple rinse container before disposal and add rinsings to tank mix. Destroy empty container by breaking, crushing or puncturing and dispose of it at a local authority landfill that does not burn its refuse.

Additional information is listed in the MSDS for Kendon Algicide and Bactericide

NBA Approval No: 3111/1200

U.N. No	1180	POLICE OR FIRE BRIGADE
HAZCHEM	2X	SPECIALIST ADVICE KENDON CHEMICAL & MFG. CO PTY LTD (03) 9497 2822
PACKAGING GROUP II		
EMERGENCY PHONE	000	

42/00



Insert
Barcode

DIRECTIONS FOR USE: FIRSTLY PROTECT SKIN AND EYES AT ALL TIMES

SITUATION	TREATMENT	RATE	CRITICAL COMMENTS
Algae on sand of pre-paving trenches	Apply to sand surface when algae appears. Do not apply to growing plants.	10m ² /L of water	
Algae on brickwork and concrete paths	Spray affected areas when algae appears.	125m ² /10L of water	
Algae on plant pots and seed boxes	Scrub or soak pots and boxes before filling with soil.	5m ² /L of water	
Algae on soil surfaces of pot plants and seedling boxes	Water over pot plants and seedling boxes when algae appears, not more frequently than twice per month.	7m ² /L of water	Apply cautiously to plants of the legume, fern, orchid, and aquatic plants. Test on small batch of plants if in doubt of suitability.
Disinfecting gutting bushes and similar tools	Soak in solution overnight and rinse with clean water before use.	4m ² /L of water	Turbidity caused by soap adhering to tools does not inhibit distribution.
Moss and algae in lawns	Apply 1 litre of prepared solution to each 5 square metres of affected lawn.	50m ² /L of water	Apply as a spray or by watering can. Spike the area before treatment to increase penetration and improve penetration.
Algae and moss on synthetic grass tennis courts, bowling greens	Apply to affected areas in dry weather. Remove dead growth with stiff joint broom, and release court for use again.	50m ² /L of water	A second application may be required if rain occurs soon after application.
Algae and moss on tennis courts, lawns, lawns, etc.	Apply to affected areas in dry weather. Dead growth will be removed with court drag mat.	50m ² /L of water	A second application may be required due to leaching by regular watering.
Liverwort in pots and plant nurseries	Apply directly to the affected area.	50m ² /L of water	

BN

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Kendon

KENDOCIDE

1L
5L
20L

* 1L to make 10,000 L
5L to make 50,000 L
20L to make 200,000 L

N.R.A.
APPROVED LABEL (TEXT)
Label No: 3111/1200
Date: 28.12.2000
Signature: *Mac Oam*