Product Name: ROUNDUP HERBICIDE

APVMA Approval No: 31393/133858



Label Name:	ROUNDUP HERBICIDE		
Signal Headings:	CAUTION		
	KEEP OUT OF REACH OF CHILDREN		
	READ SAFETY DIRECTIONS BEFORE OPENING OR USING		
Constituent Statements:	360 g/L GLYPHOSATE PRESENT AS THE ISOPROPYLAMINE SALT		
Statement of Claims:	Water soluble herbicide for non-selective control of many annual and perennial weeds in certain situations. Not active in the soil Non-residual		
Net Contents:	1000L 110L 115L 15L 15L 16 HG 200L 20L 250mL HG 400L 500mL HG 55L		
Restraints:	DO NOT treat if rain is likely within 6 hours. DO NOT DISTURB treated weeds for 7 days after treatment.		
How to Use:	Roundup® Herbicide kills weeds, unwanted grasses and vegetation in Domestic Areas.		

HOW TO PREPARE: Mix this product with clean water. Use only plastic lined brass,

thoroughly after use.

copper, fibreglass, aluminium, plastic or stainless steel containers for mixing and application. DO NOT mix more than can be used within 5 days. Wash out spray equipment

	This section contains file attachment.
Withholding Periods:	
How to Prepare:	
Precautions:	DO NOT allow spray to contact or drift onto plants you do not want killed. Accidental contact must be hosed with water immediately to reduce injury to plant. DO NOT allow pets and children to enter treated area until spray has dried. DO NOT allow chemical containers or spray to get into drains, sewers, streams or pond. DO NOT spray directly on humans, pets, exposed food, food preparation areas or food utensils.
Protections:	
Storage and Disposal:	Store in the closed original container in a cool, dry place out of reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in the garbage.
Safety Directions:	Avoid contact with eyes and skin. Wash hands after use.
Carety Directions.	Avoid contact with cycs and skin. Wash hands after use.
First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre on 131126.
First Aid Warnings:	

ROUNDUP HERBICIDE

How to Use

Table 1:

WEEDS CONTROLLED	RATE	HOW TO APPLY
General Mixed Weeds	10 mL per	TIMING: Apply when weeds
Annual, Perennial Weeds	1 L water	are actively growing. For best
Woody Weeds	15 mL per	results on perennial weeds
	1 L water	treat after flowering. Treat
		woody leaves from flowering
		to leaf fall (Jan-May). DO NOT
		spray plants bearing edible
		berries.
		APPLICATION: Uniform and
		complete spray to wet all
		leaves. Run off should not
		occur. One litre of spray will
		cover 10 square metres. The
		addition of a non-ionic
		surfactant is recommended at
		a rate of 1 ml of a 600 g/L
		product (or equivalent) per 1 L
		spray solution. Seeding or
		planting into treated areas
		may proceed after 7 days.

Table 2: Use table for auto-dose bottles

WEEDS CONTROLLED	RATE	HOW TO APPLY
General Mixed Weeds	20 mL per	TIMING: Apply when weeds
Annual, Perennial Weeds	2L water	are actively growing. For best
Woody Weeds	20 mL per	results on perennial weeds
	1.3 L water	treat after flowering. Treat
		woody leaves from flowering
		to leaf fall (Jan-May). DO NOT
		spray plants bearing edible
		berries.
		APPLICATION: Uniform and
		complete spray to wet all
		leaves. Run off should not
		occur. One litre of spray will
		cover 10 square metres. The
		addition of a non-ionic
		surfactant is recommended at
		a rate of 1 ml of a 600 g/L
		product (or equivalent) per 1 L
		spray solution. Seeding or
		planting into treated areas
		may proceed after 7 days.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED