

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Sanmite®

Miticide

Active constituent: 250 g/L PYRIDABEN

GROUP

10A

INSECTICIDE

For control of certain mites on apples, pears, stonefruit, bananas, grapes and roses as per directions for use.

CONTENTS: 1 LITRE

Crop Care Australasia Pty Ltd, 77 Tingira Street, PINKENBA QLD 4008

DIRECTIONS FOR USE

Restrictions:

Do not treat grapes destined for processing into wine.

Crop	Pest Controlled	State	Rate	Withholding Period	Critical Comments
Apples Stonefruit	Two spotted mite (<i>Tetranychus urticae</i>) European red mite (<i>Panonychus ulmi</i>)	All States	Non-IPM 50mL/100L	1 day	For control of two spotted mite in orchards where integrated pest management (IPM) is not practised, apply soon after the mite activity is obvious. For European red mite, apply to predominantly mobile stages following an application of oil prior to bud burst. When both species are present, use the program for the dominant pest. In situations where IPM is well established, apply the lower rate before the pest species reaches damaging levels. Ensure thorough coverage but do not exceed the point of runoff.
Pears (including Nashi)	Two spotted mite (<i>Tetranychus urticae</i>)		IPM 25mL/100L		
Bananas	Strawberry mite (<i>Tetranychus lambi</i>) Two spotted mite (<i>Tetranychus urticae</i>)	Qld, NSW, WA & NT	50 mL/100L	1 day	Apply when mite populations persist at a high level and damage to sensitive parts such as spearpoint suckers is evident.
Grapes (<u>not wine</u>)	Bunch mite (<i>Brevipalpus lewisi</i>)	All States	80 mL/ 100L	14 days	Apply early in the season at first signs of infestation, scarring at the base of the canes. Thoroughly wet crown, arms and canes.
Roses	Two spotted mite (<i>Tetranychus urticae</i>)	All States	60 mL/100L	–	Apply at first signs of mite activity before a high population develops. Sanmite should be checked for plant safety before it is used on a large scale.

Resistance Management

Use only one application per season. If repeat treatments are necessary for either two-spotted mite or European Red mite, alternate with products from different chemical groups, eg. Omite Miticide. This will help delay the onset of resistance.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Withholding Period

APPLES, PEARS, STONEFRUIT, BANANAS - DO NOT HARVEST FOR 1 DAY AFTER APPLICATION.

GRAPES - DO NOT HARVEST FOR 14 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS
INSECTICIDE RESISTANCE WARNING

GROUP	10A	INSECTICIDE
--------------	------------	--------------------

For insecticide resistance management Sanmite miticide is a Group 10A insecticide. Some naturally occurring insect biotypes resistant to Sanmite and other Group 10A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Sanmite or other Group 10A insecticides are used repeatedly. The effectiveness of Sanmite on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Crop Care Australasia Pty Ltd accepts no liability for any losses that may result from the failure of Sanmite to control resistant insects.

Sanmite may be subject to specific resistance management strategies. For further information contact your local supplier, Crop Care representative or local agricultural department agronomist.

Note - Resistance

Some mites may develop resistance to particular miticides, resulting in failure to control. This occurrence cannot be predicted and may occur at any time. It is not due to a fault in the product and Crop Care Australasia Pty Ltd cannot accept responsibility for loss or damage to crops arising from resistance. However, resistance should not be assumed without first reviewing the method of application, the coverage and the timing of application.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and aquatic organisms. DO NOT contaminate dams, rivers or streams with the product or used container. DO NOT spray across open bodies of water. Dangerous to bees. Do NOT spray any plants in flower while bees are foraging.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for the purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Product is harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. When preparing spray wear elbow-length PVC gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126. If swallowed, and if more than 15 minutes from a hospital, induce vomiting, preferably using Ipecac Syrup APF.

Additional information is listed in the Material Safety Data Sheet No. 39549

Conditions of sale

Crop Care Australasia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatory imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

UN No. 3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Pyridaben) Marine Pollutant
In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 111 ALL HOURS - AUSTRALIA-WIDE
PG III	HAZCHEM 2<Z>

Crop Care Australasia Pty Ltd is a licenced user of 'Sanmite' which is a Registered Trade Mark of Nissan Chemical Industries Ltd. Japan.

Insert Miscellaneous Dangerous Goods 9 diamond and Marine pollutant symbol



Crop Care Australasia Pty Ltd
ACN 061 362 347
77 Tingira Street,
PINKENBA Qld 4008

EAN 13 and EAN 128 barcodes and Item Print Code
--

NRA Approval No. 40703/1000