

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Kerb*

Selective Herbicide

Active Constituent: 500 g/kg PROPYZAMIDE

Mode of action

GROUP	K	HERBICIDE
-------	----------	-----------

For the selective control of certain grasses and broadleaf weeds in Lettuce as specified in the Directions for Use table.

Contains 2 measure packs which it is illegal to sell separately
2 x 563 g net

Dow AgroSciences Australia Limited
A.B.N. 24 003 771 659
20 Rodborough Road
FRENCHS FOREST NSW 2086
www.dowagrosciences.com.au

CUSTOMER SERVICE TOLL FREE 1 800 700 096

* Trademark of Dow AgroSciences

NRA Approval No.: 48555/0801
GMID

N.R.A.
APPROVED LABEL (TEXT)
Label No: 48555/0801
Date: 11/10/2001
Signature: <i>[Handwritten Signature]</i>

DIRECTIONS FOR USE

Restraint: Do not use KERB on heavy red and peat soils

Crop	Weed	State	Rate kg/ha	Critical comments
LETTUCE Direct sown	Barnyard grass Summer grass Winter grass Rye grass Portulaca	All States except Victoria	4.5 in 330-550 L water	Apply pre-emergence immediately after sowing. To ensure best results, the seed-bed should be well prepared and free from clods. Sprinkler irrigation after application is desirable.
Transplanted	Prince of Wales Feather Black-berry Nightshade Chickweed Nettles Shepherd's purse Wire Weed	Vic only	2.3 in 330-550 L water	Apply immediately after transplanting to clean, freshly worked soils, well prepared and free from clods. Sprinkler irrigation after application is desirable. Apply on light sandy soils, low in organic matter.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Best results are obtained when application is made to a cool wet soil.

This pack, which contains 2 x 563 g measure packs, is equivalent to 1.126 kg of product.

This will treat 0.5 hectares at the Victorian recommended rate, and 0.25 hectares at the rate recommended for all other States.

MIXING

Add the required number of water soluble measure packs direct to the spray tank when about 1/3 full with agitators in motion. Complete filling spray tank until required quantity of water is reached. DO NOT mix with other pesticides. DO NOT allow the water soluble measure packs to become wet prior to use and do not handle with wet hands or wet gloves.

EQUIPMENT

The product should be applied with properly calibrated spray equipment. Select nozzles to give uniform ground cover. Equipment which has previously been used for the application of other weed killers must be thoroughly decontaminated before use. A suggested method is: Drain the tank, hoses and boom completely of any remaining residues. Flush with water and drain completely. Refill with a solution containing 300 mL household ammonia per 120 litres of water with detergent. Leave to stand overnight, drain and finally flush again thoroughly with clean water.

RESISTANT WEEDS WARNING

Mode of action

GROUP	K	HERBICIDE
-------	----------	-----------

KERB Selective Herbicide is a member of the amide group of herbicides. KERB Selective Herbicide belongs to the herbicide group with diverse sites of action. For weed resistance management, KERB Selective Herbicide is a Group K herbicide.

Some naturally-occurring weed biotypes resistant to KERB Selective Herbicide and other Group K herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by KERB Selective Herbicide or other Group K herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Dow AgroSciences accepts no liability for any losses that may result from the failure of KERB Selective Herbicide to control resistant weeds.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF LIVESTOCK

DO NOT graze sheep on treated areas or feed to poultry or pigs.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the original packs in the closed outer container in a dry, cool, well-ventilated area out of direct sunlight. Store in a place away from children, animals, drinking water, food, feedstuffs, seed and fertilizers. Protect from frost.

Wash spray equipment thoroughly after use.

Do not dispose of undiluted chemicals on site. Dispose of excess spray solution, spray equipment washings and used packaging by burial below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SMALL SPILL MANAGEMENT

Sweep up material and contain in a refuse vessel for disposal (see Storage & Disposal section).

SAFETY DIRECTIONS

When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and rubber gloves. Avoid contact with the eyes, skin and clothing.

If in eyes, hold eyes open, flood with water for at least 15 minutes and see a Doctor.

DO NOT inhale dust or spray mist.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

After each day's use, wash contaminated clothing and gloves.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Ph: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet for KERB Selective Herbicide which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800-700 096.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by Dow AgroSciences or under abnormal conditions.

EMERGENCY RESPONSE
(All Hours)
RING FROM ANYWHERE IN AUSTRALIA
1-800 033 882
(LOCAL CALL FEE ONLY)

IN A TRANSPORT EMERGENCY ONLY
DIAL 000
FOR POLICE OR FIRE BRIGADE

Barcode
for stock
identification

DOM
Batch No.

NRA Approval No.: 48555/0801

GMID

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Kerb*

Selective Herbicide

Active Constituent: 500 g/kg PROPYZAMIDE

Mode of action

GROUP	K	HERBICIDE
--------------	----------	------------------

**For the selective control of certain grasses and broadleaf weeds
in Lettuce as specified in the Directions for Use table.**

Contains 8 measure packs which it is illegal to sell separately
8 x 563 g net

Dow AgroSciences Australia Limited
A.B.N. 24 003 771 659
20 Rodborough Road
FRENCHS FOREST NSW 2086
www.dowagrosciences.com.au

CUSTOMER SERVICE TOLL FREE 1 800 700 096

* Trademark of Dow AgroSciences

NRA Approval No.: 48555/0801
GMID

DIRECTIONS FOR USE**Restraint: Do not use KERB on heavy red and peat soils**

Crop	Weed	State	Rate kg/ha	Critical comments
LETTUCE Direct sown	Barnyard grass Summer grass Winter grass Rye grass Portulaca	All States except Victoria	4.5 in 330-550 L water	Apply pre-emergence immediately after sowing. To ensure best results, the seed-bed should be well prepared and free from clods. Sprinkler irrigation after application is desirable.
Transplanted	Prince of Wales Feather Black-berry Nightshade Chickweed Nettles Shepherd's purse Wire Weed	Vic only	2.3 in 330-550 L water	Apply immediately after transplanting to clean, freshly worked soils, well prepared and free from clods. Sprinkler irrigation after application is desirable. Apply on light sandy soils, low in organic matter.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Best results are obtained when application is made to a cool wet soil.

Recommended dose rates of 4.5 kg and 2.3 kg are equivalent to 8 and 4 x 563 g measure packs respectively.

MIXING

Add the required number of water soluble measure packs direct to the spray tank when about 1/3 full with agitators in motion. Complete filling spray tank until required quantity of water is reached. DO NOT mix with other pesticides. DO NOT allow the water soluble measure packs to become wet prior to use and do not handle with wet hands or wet gloves.

EQUIPMENT

The product should be applied with properly calibrated spray equipment. Select nozzles to give uniform ground cover. Equipment which has previously been used for the application of other weed killers must be thoroughly decontaminated before use. A suggested method is: Drain the tank, hoses and boom completely of any remaining residues. Flush with water and drain completely. Refill with a solution containing 300 mL household ammonia per 120 litres of water with detergent. Leave to stand overnight, drain and finally flush again thoroughly with clean water.

RESISTANT WEEDS WARNING

Mode of action

GROUP	K	HERBICIDE
-------	----------	-----------

KERB Selective Herbicide is a member of the amide group of herbicides. KERB Selective Herbicide belongs to the herbicide group with diverse sites of action. For weed resistance management, KERB Selective Herbicide is a Group K herbicide.

Some naturally-occurring weed biotypes resistant to KERB Selective Herbicide and other Group K herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by KERB Selective Herbicide or other Group K herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Dow AgroSciences accepts no liability for any losses that may result from the failure of KERB Selective Herbicide to control resistant weeds.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF LIVESTOCK

DO NOT graze sheep on treated areas or feed to poultry or pigs.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the original packs in the closed outer container in a dry, cool, well-ventilated area out of direct sunlight. Store in a place away from children, animals, drinking water, food, feedstuffs, seed and fertilizers. Protect from frost.

Wash spray equipment thoroughly after use.

Do not dispose of undiluted chemicals on site. Dispose of excess spray solution, spray equipment washings and used packaging by burial below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SMALL SPILL MANAGEMENT

Sweep up material and contain in a refuse vessel for disposal (see Storage & Disposal section).

SAFETY DIRECTIONS

When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and rubber gloves. Avoid contact with the eyes, skin and clothing.

If in eyes, hold eyes open, flood with water for at least 15 minutes and see a Doctor.

DO NOT inhale dust or spray mist.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

After each day's use, wash contaminated clothing and gloves.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Ph: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet for KERB Selective Herbicide which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800-700 096.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by Dow AgroSciences or under abnormal conditions.

EMERGENCY RESPONSE
(All Hours)
RING FROM ANYWHERE IN AUSTRALIA
1-800 033 882
(LOCAL CALL FEE ONLY)

IN A TRANSPORT EMERGENCY ONLY
DIAL 000
FOR POLICE OR FIRE BRIGADE

Barcode
for stock
identification

DOM
Batch No.

NRA Approval No.: 48555/0801

GMID

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Kerb^{*}

Selective Herbicide

Active Constituent: 500 g/kg PROPYZAMIDE

563 g net

Not to be sold separately
Before use read all directions on the outer pack.

Water soluble packaging. Keep dry.

* Trademark of Dow AgroSciences

NRA Approval No.: 48555/0801