

Label image proudly supplied by



**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# **Moncut<sup>®</sup>** SC Fungicide

ACTIVE CONSTITUENT: 464g/L FLUTOLANIL


**GROUP G FUNGICIDE**

**For the control of seed-borne  
black scurf (*Rhizoctonia solani*)  
in potatoes as per the  
DIRECTIONS FOR USE Table.**

**IMPORTANT: READ THE ATTACHED  
LEAFLET BEFORE USE**

**Contents: 5L**

Certis Australia Pty. Limited A.B.N. 28 100 543 986  
1 Curtis Place Kambah ACT 2902  
Phone: (02) 6296 4721 Fax: (02) 6296 1815



Size :135mm high x 150mm Wide 100%



**STORAGE AND DISPOSAL****Product and product container**

Keep out of reach of children.

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank when diluting product. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**Application equipment**

Thoroughly rinse all application equipment with clean water immediately after use and dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots.

**SAFETY DIRECTIONS**

Will irritate the eyes. Avoid contact with eyes. Wash hands after use.

**FIRST AID**

If poisoning occurs contact a doctor or Poisons Information Centre (telephone 13 11 26).

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet available from Certis Australia Pty. Limited.

**EXCLUSION OF LIABILITY**

This product as supplied is of a high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic, geographical or biological variables and/or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State or Federal legislation.

APVMA Approval No.: 53217/5L/1004

Moncut® is a Registered Trademark of Nihon Nohyaku Co. Ltd.

IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE
FOR 24 HOUR SPECIALIST ADVICE IN EMERGENCY ONLY PHONE 1800 033 111



INSERT BARCODE HERE (01) 0 07 30465 16240 0
------------------------------------------------

Batch No:

Date of Manufacture:      Printer's code: Moncut 5L/1104

Size :135mm high x 150mm Wide 100%



READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# Moncut<sup>®</sup> SC Fungicide



## DIRECTIONS FOR USE

CROP	DISEASE	RATE	CRITICAL COMMENTS
Potatoes	Black scurf ( <i>Rhizoctonia solani</i> ) (seed-borne infections only)	150 mL/tonne of seed potatoes	In order to achieve optimum results, Moncut application should achieve uniform coverage of all seed potatoes. Moncut can be applied either undiluted or mixed with up to 3 litres of water to ensure thorough, even coverage of seed potatoes. Seed must be treated uniformly using suitable treatment machinery. Where conditions are likely to favour seed piece decay (e.g. high temperatures and wet soil soon after planting): <ul style="list-style-type: none"> <li>• Ensure cut tubers are properly cured before application</li> <li>• Ensure treated seed is dry prior to planting</li> <li>• Avoid treatment on the planter, or immediately prior to planting</li> </ul>

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHHOLDING PERIOD NOT REQUIRED WHEN USED AS DIRECTED.**

### GENERAL INSTRUCTIONS

Moncut SC Fungicide is for the protection of potatoes against seed-borne black scurf (*Rhizoctonia solani*). Moncut is sprayed onto seed potatoes prior to planting. When applied as directed, this product will protect progeny tubers from infection via seed-borne *Rhizoctonia solani*. No claim is made for protection of tubers against soil-borne *Rhizoctonia solani*. Best results will be

achieved where other management practices (such as crop rotation) are employed to reduce the occurrence of soil-borne *Rhizoctonia solani*.

### Fungicide Resistance Warning

## GROUP G FUNGICIDE

Moncut is an anilide fungicide. For fungicide resistance management, Moncut is a Group G fungicide. Some naturally occurring fungal biotypes resistant to Moncut, and other Group G fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Moncut and other Group G fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Certis Australia Pty Ltd accepts no liability for any losses that may result from the failure of Moncut to control resistant fungi.

### Export of Treated Produce

Growers should note that suitable MRLs or import tolerances may not be established in all markets for produce treated with Moncut SC Fungicide. If you are growing produce for export, please check with Certis Australia Pty Ltd for the latest information on MRLs and import tolerances BEFORE using Moncut.

### Equipment

Moncut is applied to seed potatoes prior to, or at planting. Application must be conducted with an applicator suitable for liquid treatments. The equipment must be accurately calibrated to ensure even coverage and correct application rates.

### Application

Moncut must be applied at the correct rate and achieve thorough, even coverage of seed potatoes. Moncut should be applied onto dry tubers with a fine spray, ensuring even coverage of all surfaces. Tubers should be free from soil deposits at application.

If using diluted Moncut, the tank mix should be constantly agitated in the spray tank during application. Prepare sufficient product for the quantity of seed to be treated. Do not store diluted product.

### Compatibility

If using dust treatments (fimbark, lime or mancozeb), these should be applied to tubers before applying Moncut. The use of cement dust is not recommended on tubers to be treated with Moncut.

### PRECAUTIONS

Do not use treated seed potatoes for human or animal consumption. Do not allow potatoes intended for human or animal consumption to become contaminated with this product. Store treated seed potatoes away from other potatoes, animal feed or foodstuffs, in a cool, dry storage area. Clearly label bins, bags or other containers of treated seed potatoes, to indicate that they have been treated with Moncut. Do not use bins, bags or containers that have held Moncut treated potatoes for any other purpose,

including storage of potatoes intended for human or animal consumption.

### PROTECTION OF LIVESTOCK

DO NOT use treated potato seed for animal consumption. DO NOT allow feed intended for animal consumption to become contaminated with this product.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the product or used containers.

### STORAGE AND DISPOSAL

#### Product and product container

Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank when diluting product. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

### Application equipment

Thoroughly rinse all application equipment with clean water immediately after use and dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots.

### SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with eyes. Wash hands after use.

### FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (telephone 13 11 26).

### MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet available from Certis Australia Pty. Limited.

### EXCLUSION OF LIABILITY

This product as supplied is of a high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic, geographical or biological variables and/or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State or Federal legislation.

APVMA Approval No.: 53217/1004

Moncut<sup>®</sup> is a Registered Trademark of Nihon Nohyaku Co., Ltd.

Size folded: 75mm High X 70mm Wide 100%  
Size flat: 225mm High X 210mm Wide 100%

