POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Conquest Vibrant 25C Liquid Seed Dressing

ACTIVE CONSTITUENTS: 25 g/L FLUTRIAFOL

4 g/L CYPERMETHRIN

Infopest

SOLVENT: 488g/L ETHYLENE GLYCOL



Seed dressing treatment to protect against smuts and bunt in wheat, barley, oats and triticale.

Contents: 20 Litres

(10L, 110L, 200L 1000L)

Conquest Agrochemicals Pty Ltd.

ABN 84 098 814 932 Unit 1, 46 Hasler Road Osborne Park WA 6017

Telephone (08) 9347 0500 Facsimile: (08) 9347 0551

Directions for use

Restraint:

Do NOT apply "Vydate" to seed pre-treated with this product.

Crop	Disease Controlled	State	Rate/100 kg seed	Critical Comments
Wheat	Bunt (Tilletia foetida, T. caries), Loose smut (Ustilago segetum var triticl), Soilborne Flag smut (Urocystis agropyri), Seedborne Flag smut (Urocystis agropyri)	All States	100 mL	This product is to be applied to grain undiluted. Seed must be treated to ensure even coverage of all grains, using correctly calibrated seed treatment equipment.
Barley	Covered smut (Ustilago segetum var segetum) Loose smut (Ustilago segetum var triticl)			Reduced emergence may occur if seed treated with Flutriafol is sown to a depth greater than 5 cm or into soil at
Oats	Covered smut (Ustilago segetum var segetum) Loose smut (Ustilago segetum var triticl)			a temperature less than 5°C or greater than 20°C.
Triticale	Loose smut (<i>Ustilago</i> segetum var triticl)			
Wheat, Barley, Oats and Triticale	Protection against insect pests of stored grains: Lesser grain borer (Rhyzopertha dominica), Granary weevil (Sitophilus granarius), Rice weevil (Sitophilus oryzae), Rust-red flour beetle (Tribolium castaneum), Saw toothed grain beetle (Oryzaephilus surinamensis), Tropical warehouse moth (Ephestia cautella)			

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD:

DO NOT GRAZE PLANTS GROWN FROM TREATED SEED OR CUT FOR STOCK FOOD WITHIN 4 WEEKS OF SOWING

General Instructions

Seed may be treated with Conquest Vibrant 25C Liquid Seed Dressing at any time from harvest to sowing. Treated seed may be held over for sowing in the following season. The product contains Cypermethrin for protection against insect pests of stored grain. THIS PRODUCT IS NOT MISCIBLE WITH WATER AND CANNOT BE DILUTED. Equipment must be dry.

FUNGICIDE RESISTANCE WARNING

GROUP C FUNGICIDE

Conquest Vibrant 25C Liquid Seed Dressing is a member of the DMI group of fungicides. For fungicide resistance management the product is a Group C fungicide. Some naturally occurring individual fungi resistant to the product and other Group C fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group C fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Conquest Agrochemicals Pty Ltd accepts no liability for any losses that result from failure of this product to control resistant fungi.

INSECTICIDE RESISTANCE WARNING

GROUP 3A INSECTICIDE

For insecticide resistance management Conquest Vibrant 25C Liquid Seed Dressing is a Group 3A insecticide.

Some naturally occurring insect biotypes resistant to the product and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if this product or other Group 3A insecticides are used repeatedly. The effectiveness of this product on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Conquest Agrochemicals Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant insects.

Conquest Vibrant 25C Liquid Seed Dressing may be subject to specific resistance management strategies. For further information contact your local supplier, Conquest Agrochemicals Pty Ltd representative or local agricultural department agronomist.

Cleaning up

Equipment should be thoroughly cleaned with methylated spirits, not water.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

Short coleoptile cultivars should not be sown to deep. In some situations trifluralin herbicides and triazole fungicides interact to suppress emergence, if possible avoid this contamination. Any seed not intended to be used for sowing should be destroyed.

PROTECTION OF LIVESTOCK

Seed treated with this product must not be used for animal consumption or be allowed to contaminate seed intended for animal consumption. Seed should not be left exposed on the ground (particularly during sowing). Destroy treated seed not intended for sowing.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Do NOT feed or expose treated seed to wildlife and domestic animals, particularly birds. Harmful to fish. Do NOT contaminate streams, rivers or waterways with the chemical, or containers which have held the chemical or treated seed.

STORAGE AND DISPOSAL (10L, 20L & 200L)

Seed treated with this product must not be used for human consumption or be allowed to contaminate seed intended for human consumption. Treated seed when stored should be kept apart from other seed and the containers should be clearly marked to indicate the contents have been treated with this product. Containers which have held treated seed should not be used for any other purpose. Store product in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilizers. Triple or preferably pressure rinse empty containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

STORAGE AND DISPOSAL (110L)

Seed treated with this product must not be used for human consumption or be allowed to contaminate seed intended for human consumption. Treated seed when stored should be kept apart from other seed and the containers should be clearly marked to indicate the contents have been treated with this product. Containers which have held treated seed should not be used for any other purpose. Store product in the closed, original container in a dry, cool, well ventilated area. DO NOT store for prolonged periods in sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilizers. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

STORAGE AND DISPOSAL (1000L)

DO NOT store or handle near heat or naked flame. Store product in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in sunlight. Store this tightly closed minibulk container in a safe and secure place away from children, animals, food and feedstuffs. Storage must be secure so that the contents cannot be tampered with. All locks/seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs advise Conquest Agrochemicals Pty Ltd a soon as possible.

This minibulk container is reusable and remains the property of Conquest Agrochemicals Pty Ltd. DO NOT rinse empty container. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage. No other liquid, solid or pesticide product should be put into it. When empty return to Conquest Agrochemicals Pty Ltd for cleaning, relabelling and refilling.

SAFETY DIRECTIONS

Product is poisonous if swallowed. May irritate the eyes and skin. Sensitive workers should use protective clothing. Avoid contact with eyes and skin. Do not inhale dust, vapour or spray mist. When preparing and using the product wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and face shield. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which can be obtained from the supplier.

CONDITIONS OF SALE

Conquest Agrochemicals Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgement in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

For specialist advice in an emergency dial 1 800 033 111

24 hours Australia wide.

Conquest Agrochemicals Pty Ltd.

ABN 84 098 814 932 Unit 1, 46 Hasler Road Osborne Park WA 6017

Telephone (08) 9347 0500 Facsimile: (08) 9347 0551

Batch No: DOM.

APVMA Approval No: 59324/10/0105

59324/20/0105 59324/110/0105 59324/200/0105 59324/1000/0105