



**CONTENTS 170g**



**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# IMTRADE EDGE 500 WG HERBICIDE

**ACTIVE CONSTITUENT: 500 g/kg PROPYZAMIDE**

**GROUP D HERBICIDE**

For selective control of certain grasses and broadleaf weeds in Lettuce, Sports Turf, Home Lawns and Legume Seed Crops and Pastures as per the DIRECTIONS FOR USE table.

**MEASURE PACK ONLY -  
ILLEGAL TO BE SOLD EXCEPT IN UNOPENED PRIMARY PACK  
BEFORE USE: READ ALL DIRECTIONS ON THE LABEL & BOOKLET OF THE PRIMARY PACK**

**APVMA Approval No: 59977/170g/0610**

Imtrade Australia Pty Ltd  
ABN 13 090 151 134  
17 Ocean Street, Kwinana WA 6167  
Tel: 1800 171 799 Fax: 1800 171 788 Web: [www.imtrade.com.au](http://www.imtrade.com.au)

File Name: 59977\_49681\_170g\_Primary\_MPL\_V2

Dimensions: 175.00mm (W) x 85.00mm (H)

Scale of Print: A4 100% A3 100%



## CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# IMTRADE EDGE 500 WG HERBICIDE

ACTIVE CONSTITUENT: 500 g/kg PROPYZAMIDE

GROUP **D** HERBICIDE

For selective control of certain grasses and broadleaf weeds in Lettuce,  
Sports Turf, Home Lawns and Legume Seed Crops and Pastures  
as per the DIRECTIONS FOR USE table.

---

**MEASURE PACK ONLY -  
ILLEGAL TO BE SOLD EXCEPT IN UNOPENED PRIMARY PACK  
BEFORE USE: READ ALL DIRECTIONS ON THE LABEL & BOOKLET OF THE PRIMARY PACK**

---

APVMA Approval No: 59977/500g/0610

Imtrade Australia Pty Ltd  
ABN 13 090 151 134  
17 Ocean Street, Kwinana WA 6167  
Tel: 1800 171 799 Fax: 1800 171 788 Web: [www.imtrade.com.au](http://www.imtrade.com.au)

**CONTENTS 500g**

File Name: 59977\_49681\_500g\_Primary\_MPL\_V2

Dimensions: 200.00mm (W) x 120.00mm (H)

Scale of Print: A4 100% A3 100%



### GENERAL INSTRUCTIONS

Best results are obtained by applying Imtrade Edge 500 WG Herbicide to cool, wet soil.

### RESISTANCE WEEDS WARNING

#### GROUP D HERBICIDE

Imtrade Edge 500 WG Herbicide is a member of the amide group of herbicides with diverse sites of action. For weed resistance management this is a Group D Herbicide. Some naturally occurring weed biotypes resistant to Imtrade Edge 500 WG Herbicide and Group D Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Imtrade Edge 500 WG Herbicide or Group D Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Edge 500 WG Herbicide to control the resistant weeds.

Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or an Imtrade representative.

### SPRAY PREPARATION

Imtrade Edge 500 WG Herbicide is a Wettable Granule formulation to be blended with water and applied as a spray. Granule formulations are designed to be added to large volumes of water and dispersed slowly under agitation. When using larger boomsprays and unable to add granules directly to a large volume in the tank via the top of the boomspray, pre-mixing may be necessary as follows:

- Partly (30%) fill the boomspray tank with water.
- Slowly add required amount of Imtrade Edge 500 WG Herbicide for the area to be sprayed into Granni Pot® or other pre-mixing vessel while agitating well.
- Ensure high water volumes and **DO NOT** add to the spray tank until the pre-mix is fully dissolved. This may take several mixes to ensure the correct amount is added to the boomspray tank.
- Add the pre-mixed Imtrade Edge 500 WG Herbicide into the boomspray tank with the agitation system operating.
- Fill up to the correct volume with water.
- The mixture must be kept in suspension at all times by continuous agitation.
- Tank-mixtures should be tested for physical compatibility and efficacy before use.

**DO NOT** mix with MCPA. If tank mixing, Imtrade Edge 500 WG Herbicide must be in suspension before adding other herbicides, insecticides or surfactants.

Wash sprayer thoroughly after use.

**DO NOT** handle the water-soluble packaging with wet hands or wet gloves. Keep dry.

## CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS  
BEFORE OPENING OR USING



# IMTRADE EDGE 500 WG HERBICIDE

ACTIVE CONSTITUENT: 500 g/kg PROPYZAMIDE

#### GROUP D HERBICIDE

For selective control of certain grasses  
and broadleaf weeds in Lettuce,  
Sports Turf, Home Lawns and  
Legume Seed Crops and Pastures  
as per the DIRECTIONS FOR USE table.

**IMPORTANT: READ THE INSTRUCTIONS  
ON THIS LABEL AND ATTACHED  
LEAFLET THOROUGHLY BEFORE  
OPENING OR USING THIS PRODUCT**



CONTENTS  
1kg

APVMA APPROVAL NO:  
59977/1kg/0610

Imtrade Australia Pty Ltd  
ABN 13 090 151 134  
17 Ocean Street,  
Kwinana WA 6167  
Tel: 1800 171 799  
Fax: 1800 171 788  
Web: [www.imtrade.com.au](http://www.imtrade.com.au)

### EQUIPMENT

Always ensure the sprayer is clean, using ChemAg Spray and Boom Cleaner as directed. It is recommended that for certain turf situations up to 100L/ha spray volume is required.

### STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Keep from contact with fertilizers, insecticides, fungicides and seeds. **DO NOT** re-use container or dispose of undiluted chemicals on-site. Shake empty box into spray tank. **DO NOT** dispose of undiluted chemicals on-site. Puncture or shred and bury empty containers in a local authority landfill. If not available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should **NOT** be burnt.

### SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. Avoid inhaling the dust. When preparing the spray, or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. After use, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

### MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet, which can be obtained from your supplier or from Imtrade Australia Pty Ltd website at [www.imtrade.com.au](http://www.imtrade.com.au)

### CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Edge 500 WG Herbicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

**IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE**

Batch No:

Date of Manufacture:

File Name: 59977\_49681\_1kg\_Primary\_MPL\_V2

Dimensions: 200.00mm (W) x 125.00mm (H)

Scale of Print: A4 100% A3 100%

### GENERAL INSTRUCTIONS

Best results are obtained by applying Imtrade Edge 500 WG Herbicide to cool, wet soil.

### RESISTANCE WEEDS WARNING

#### GROUP D HERBICIDE

Imtrade Edge 500 WG Herbicide is a member of the amide group of herbicides with diverse sites of action. For weed resistance management this is a Group D Herbicide. Some naturally occurring weed biotypes resistant to Imtrade Edge 500 WG Herbicide and Group D Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Imtrade Edge 500 WG Herbicide or Group D Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Edge 500 WG Herbicide to control the resistant weeds.

Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or an Imtrade representative.

### SPRAY PREPARATION

Imtrade Edge 500 WG Herbicide is a Wettable Granule formulation to be blended with water and applied as a spray. Granule formulations are designed to be added to large volumes of water and dispersed slowly under agitation. When using larger boomsprays and unable to add granules directly to a large volume in the tank via the top of the boomspray, pre-mixing may be necessary as follows:

- Partly (30%) fill the boomspray tank with water.
- Slowly add required amount of Imtrade Edge 500 WG Herbicide for the area to be sprayed into Granni Pot® or other pre-mixing vessel while agitating well.
- Ensure high water volumes and **DO NOT** add to the spray tank until the pre-mix is fully dissolved. This may take several mixes to ensure the correct amount is added to the boomspray tank.
- Add the pre-mixed Imtrade Edge 500 WG Herbicide into the boomspray tank with the agitation system operating.
- Fill up to the correct volume with water.
- The mixture must be kept in suspension at all times by continuous agitation.
- Tank-mixtures should be tested for physical compatibility and efficacy before use.

**DO NOT** mix with MCPA. If tank mixing, Imtrade Edge 500 WG Herbicide must be in suspension before adding other herbicides, insecticides or surfactants.

Wash sprayer thoroughly after use.

**DO NOT** handle the water-soluble packaging with wet hands or wet gloves. Keep dry.



## CAUTION

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS  
BEFORE OPENING OR USING**



## IMTRADE EDGE 500 WG HERBICIDE

**ACTIVE CONSTITUENT: 500 g/kg PROPYZAMIDE**

#### GROUP D HERBICIDE

**For selective control of certain grasses  
and broadleaf weeds in Lettuce,  
Sports Turf, Home Lawns and  
Legume Seed Crops and Pastures  
as per the DIRECTIONS FOR USE table.**

**CONTAINS 8 x 170g MEASURE PACKS  
WHICH IT IS ILLEGAL TO SELL SEPARATELY**

**IMPORTANT: READ THE INSTRUCTIONS ON THIS  
LABEL AND ATTACHED LEAFLET THOROUGHLY  
BEFORE OPENING OR USING THIS PRODUCT**



**CONTENTS  
1.36kg**

**APVMA APPROVAL NO:  
59977/1.36kg/0610**

Imtrade Australia Pty Ltd  
ABN 13 090 151 134  
17 Ocean Street,  
Kwinana WA 6167  
Tel: 1800 171 799  
Fax: 1800 171 788  
Web: [www.imtrade.com.au](http://www.imtrade.com.au)

### EQUIPMENT

Always ensure the sprayer is clean, using ChemAg Spray and Boom Cleaner as directed. It is recommended that for certain turf situations up to 100L/ha spray volume is required.

### STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Keep from contact with fertilizers, insecticides, fungicides and seeds. **DO NOT** re-use container or dispose of undiluted chemicals on-site. Shake empty box into spray tank. **DO NOT** dispose of undiluted chemicals on-site. Puncture or shred and bury empty containers in a local authority landfill. If not available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should **NOT** be burnt.

### SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. Avoid inhaling the dust. When preparing the spray, or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. After use, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

### MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet, which can be obtained from your supplier or from Imtrade Australia Pty Ltd website at [www.imtrade.com.au](http://www.imtrade.com.au)

### CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Edge 500 WG Herbicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

**IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE**

Batch No:

Date of Manufacture:

File Name: 59977\_49681\_1.36kgBox\_Primary\_MPL\_V2

Dimensions: 200.00mm (W) x 125.00mm (H)

Scale of Print: A4 100% A3 100%





**GENERAL INSTRUCTIONS**

Best results are obtained by applying Imtrade Edge 500 WG Herbicide to cool, wet soil.

**RESISTANCE WEEDS WARNING**

**GROUP D HERBICIDE**

Imtrade Edge 500 WG Herbicide is a member of the amide group of herbicides with diverse sites of action. For weed resistance management this is a Group D Herbicide. Some naturally occurring weed biotypes resistant to Imtrade Edge 500 WG Herbicide and Group D Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Imtrade Edge 500 WG Herbicide or Group D Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Edge 500 WG Herbicide to control the resistant weeds.

Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or an Imtrade representative.

**SPRAY PREPARATION**

Imtrade Edge 500 WG Herbicide is a Wettable Granule formulation to be blended with water and applied as a spray. Granule formulations are designed to be added to large volumes of water and dispersed slowly under agitation. When using larger boomsprays and unable to add granules directly to a large volume in the tank via the top of the boomspray, pre-mixing may be necessary as follows:

- Partly (30%) fill the boomspray tank with water.
- Slowly add required amount of Imtrade Edge 500 WG Herbicide for the area to be sprayed into Granni Pot® or other pre-mixing vessel while agitating well.
- Ensure high water volumes and **DO NOT** add to the spray tank until the pre-mix is fully dissolved. This may take several mixes to ensure the correct amount is added to the boomspray tank.
- Add the pre-mixed Imtrade Edge 500 WG Herbicide into the boomspray tank with the agitation system operating.
- Fill up to the correct volume with water.
- The mixture must be kept in suspension at all times by continuous agitation.
- Tank-mixtures should be tested for physical compatibility and efficacy before use.

**DO NOT** mix with MCPA. If tank mixing, Imtrade Edge 500 WG Herbicide must be in suspension before adding other herbicides, insecticides or surfactants. Wash sprayer thoroughly after use.

**DO NOT** handle the water-soluble packaging with wet hands or wet gloves. Keep dry.

**EQUIPMENT**

Always ensure the sprayer is clean, using ChemAg Spray and Boom Cleaner as directed. It is recommended that for certain turf situations up to 100L/ha spray volume is required.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



**IMTRADE EDGE 500 WG  
HERBICIDE**

**ACTIVE CONSTITUENT: 500 g/kg PROPYZAMIDE**

**GROUP D HERBICIDE**

**For selective control of certain grasses and broadleaf weeds in Lettuce, Sports Turf, Home Lawns and Legume Seed Crops and Pastures as per the DIRECTIONS FOR USE table.**

**CONTAINS 20 (OR 40) MEASURE PACKS WHICH IT IS ILLEGAL TO SELL SEPARATELY**

**IMPORTANT: READ THE INSTRUCTIONS ON THIS LABEL AND ATTACHED LEAFLET THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT**

Imtrade Australia Pty Ltd  
ABN 13 090 151 134  
17 Ocean Street, Kwinana WA 6167  
Tel: 1800 171 799 Fax: 1800 171 788  
Web: www.imtrade.com.au



**STORAGE AND DISPOSAL**

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Keep from contact with fertilizers, insecticides, fungicides and seeds. **DO NOT** re-use container or dispose of undiluted chemicals on-site. Shake empty box into spray tank. **DO NOT** dispose of undiluted chemicals on-site. Puncture or shred and bury empty containers in a local authority landfill. If not available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should **NOT** be burnt.

**SAFETY DIRECTIONS**

Will irritate the eyes and skin. Avoid contact with eyes and skin. Avoid inhaling the dust. When preparing the spray, or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. After use, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet, which can be obtained from your supplier or from Imtrade Australia Pty Ltd website at www.imtrade.com.au

**CONDITIONS OF SALE**

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Edge 500 WG Herbicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

**IN A TRANSPORT EMERGENCY  
DIAL 000  
POLICE OR FIRE BRIGADE**

**CONTENTS 10kg (20 x 500g Measure Packs)**  
APVMA APPROVAL NO: 59977/10kg/0610

**CONTENTS 20kg (40 x 500g Measure Packs)**  
APVMA APPROVAL NO: 59977/20kg/0610

**Batch No:**

**Date of Manufacture:**



**GENERAL INSTRUCTIONS**

Best results are obtained by applying Imtrade Edge 500 WG Herbicide to cool, wet soil.

**RESISTANCE WEEDS WARNING**

**GROUP D HERBICIDE**

Imtrade Edge 500 WG Herbicide is a member of the amide group of herbicides with diverse sites of action. For weed resistance management this is a Group D Herbicide. Some naturally occurring weed biotypes resistant to Imtrade Edge 500 WG Herbicide and Group D Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Imtrade Edge 500 WG Herbicide or Group D Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Edge 500 WG Herbicide to control the resistant weeds.

Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or an Imtrade representative.

**SPRAY PREPARATION**

Imtrade Edge 500 WG Herbicide is a Wettable Granule formulation to be blended with water and applied as a spray. Granule formulations are designed to be added to large volumes of water and dispersed slowly under agitation. When using larger boomsprays and unable to add granules directly to a large volume in the tank via the top of the boomspray, pre-mixing may be necessary as follows:

- Partly (30%) fill the boomspray tank with water.
- Slowly add required amount of Imtrade Edge 500 WG Herbicide for the area to be sprayed into Granni Pot® or other pre-mixing vessel while agitating well.
- Ensure high water volumes and **DO NOT** add to the spray tank until the pre-mix is fully dissolved. This may take several mixes to ensure the correct amount is added to the boomspray tank.
- Add the pre-mixed Imtrade Edge 500 WG Herbicide into the boomspray tank with the agitation system operating.
- Fill up to the correct volume with water.
- The mixture must be kept in suspension at all times by continuous agitation.
- Tank-mixtures should be tested for physical compatibility and efficacy before use.

**DO NOT** mix with MCPA. If tank mixing, Imtrade Edge 500 WG Herbicide must be in suspension before adding other herbicides, insecticides or surfactants. Wash sprayer thoroughly after use.

**DO NOT** handle the water-soluble packaging with wet hands or wet gloves. Keep dry.

**EQUIPMENT**

Always ensure the sprayer is clean, using ChemAg Spray and Boom Cleaner as directed. It is recommended that for certain turf situations up to 100L/ha spray volume is required.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



**IMTRADE EDGE 500 WG  
HERBICIDE**

**ACTIVE CONSTITUENT: 500 g/kg PROPYZAMIDE**

**GROUP D HERBICIDE**

**For selective control of certain grasses and broadleaf weeds in Lettuce, Sports Turf, Home Lawns and Legume Seed Crops and Pastures as per the DIRECTIONS FOR USE table.**

**IMPORTANT: READ THE INSTRUCTIONS ON THIS LABEL AND ATTACHED LEAFLET THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT**

Imtrade Australia Pty Ltd  
ABN 13 090 151 134  
17 Ocean Street, Kwinana WA 6167  
Tel: 1800 171 799 Fax: 1800 171 788  
Web: www.imtrade.com.au



**STORAGE AND DISPOSAL**

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Keep from contact with fertilizers, insecticides, fungicides and seeds. **DO NOT** re-use container or dispose of undiluted chemicals on-site. Shake empty box into spray tank. **DO NOT** dispose of undiluted chemicals on-site. Puncture or shred and bury empty containers in a local authority landfill. If not available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should **NOT** be burnt.

**SAFETY DIRECTIONS**

Will irritate the eyes and skin. Avoid contact with eyes and skin. Avoid inhaling the dust. When preparing the spray, or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. After use, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet, which can be obtained from your supplier or from Imtrade Australia Pty Ltd website at www.imtrade.com.au

**CONDITIONS OF SALE**

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Edge 500 WG Herbicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

**IN A TRANSPORT EMERGENCY  
DIAL 000  
POLICE OR FIRE BRIGADE**

**CONTENTS 10kg**  
APVMA APPROVAL NO: 59977/10kgBox/0610

**CONTENTS 20kg**  
APVMA APPROVAL NO: 59977/20kgBox/0610

**Batch No:**

**Date of Manufacture:**

## **CAUTION**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



# **IMTRADE EDGE 500 WG HERBICIDE**

**ACTIVE CONSTITUENT: 500 g/kg PROPYZAMIDE**

**GROUP D HERBICIDE**

**For selective control of certain grasses and broadleaf weeds  
in Lettuce, Sports Turf, Home Lawns and Legume Seed Crops  
and Pastures as per the DIRECTIONS FOR USE table.**

**IMPORTANT: READ THIS LEAFLET  
BEFORE USING THIS PRODUCT**

**APVMA Approval No. 59977/0610**

Intrade Australia Pty Ltd  
ABN 13 090 151 134  
17 Ocean Street, Kwinana WA 6167  
Tel: 1800 171 799 Fax: 1800 171 788  
Web: [www.intrade.com.au](http://www.intrade.com.au)

## DIRECTIONS FOR USE

Crops	Weeds Controlled	State	Rate kg/ha	Critical Comments	
Lettuce (Direct Sown)	Barnyard Grass, Blackberry, Nightshade, Chickweed, Portulaca, Winter Grass, Ryegrass, Summer Grass, Wireweed, Prince of Wales Feather, Shepherds Purse, Nettles	All States	4.5 in 330 - 550L	Apply pre-emergent, immediately after sowing. For best results, prepare the seed bed free from clods. Sufficient irrigation to wet the top 3 to 4cm of soil should be applied within 24 hours.	
Transplanted				Apply immediately after transplanting. For best results, prepare the seed bed free from clods. Sufficient irrigation to wet the top 3 to 4cm of soil should be applied within 24 hours.	
		Vic only	2.3 in 300 - 550L	Apply on light sandy soils, low in organic matter.	
Turf & Lawns Common Couch	Winter Grass	All States	1.2 (12g/100m <sup>2</sup> )	Rate/ Bowling Green 37 x 37m 170g	Apply during the Autumn and Winter, if established turf is infested with seedling Winter Grass. Ensure a uniform coverage. Irrigate immediately after application with 12-25mm irrigation or rain and again 24 hours later. Repeat treatment if necessary on Queensland Blue Couch after 4 weeks. <b>DO NOT RESEED FOR 60 DAYS AFTER TREATMENT.</b> Use <b>ONLY</b> on established turf. <b>DO NOT</b> use on Bluegrass, Ryegrass, Fescue or Bent Grass Lawns.
Queensland Blue Couch		Qld only	0.6 (6g/100m <sup>2</sup> )	85g	
Buffalo Grass		WA only	1.2 (12g/100m <sup>2</sup> )	170g	



## DIRECTIONS FOR USE

Crops	Weeds Controlled	State	Rate kg/ha	Critical Comments
Lucerne, Clover, Medics etc., grown for Forage, Hay or Seed production	Annual Ryegrass, Winter Grass, Barley Grass, Silver Grass, Prairie Grass, Canary Grass, Great Brome, Squirrel Tail Fescue and Rats Tail Fescue	NSW, ACT, SA, WA, Tas only	1 - 1.5	<p><b>SEEDLING CROPS:</b> Apply after the third trifoliate leaf is fully developed.</p> <p><b>ESTABLISHED CROPS:</b> Apply any time before the end of July.</p> <p><b>WEEDS:</b> Apply when weeds are at post or pre-emergent states.</p> <p><b>BEST RESULTS:</b> When applied during cool and moist conditions. Rain or irrigation is necessary to thoroughly wet the top 3 to 4cm of soil. This is similar to 25mm rain. Use rates towards the higher end of the range on heavy soils, if conditions are not optimal or where a heavy grass population is expected. Grazing or cutting <b>PRIOR</b> to treatment is recommended.</p>
	Wild Oats, Perennial Ryegrass, Bent Grass, English Couch, Yorkshire Fog Grass, Chickweed, Seedling Sorrel, Blackberry Nightshade, Patterson's Curse, Seedling Wireweed		1.5 - 2	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHHOLDING PERIOD: DO NOT HARVEST, GRAZE OR CUT FOR STOCK FOOD OR FOR SEED FOR 25 DAYS AFTER APPLICATION.**

**NOT CLASSIFIED AS DANGEROUS GOODS FOR TRANSPORT BY ROAD AND RAIL.**

## GENERAL INSTRUCTIONS

Best results are obtained by applying Imtrade Edge 500 WG Herbicide to cool, wet soil.

## RESISTANT WEEDS WARNING

### GROUP **D** HERBICIDE

Imtrade Edge 500 WG Herbicide is a member of the amide group of herbicides with diverse sites of action. For weed resistance management this is a Group **D** Herbicide. Some naturally occurring weed biotypes resistant to Imtrade Edge 500 WG Herbicide and Group **D** Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Imtrade Edge 500 WG Herbicide or Group **D** Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Edge 500 WG Herbicide to control the resistant weeds.

Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or an Imtrade representative.

## SPRAY PREPARATION

Imtrade Edge 500 WG Herbicide is a Wettable Granule formulation to be blended with water and applied as a spray. Granule formulations are designed to be added to large volumes of water and dispersed slowly under agitation. When using larger boomsprays and unable to add granules directly to a large volume in the tank via the top of the boomspray, pre-mixing may be necessary as follows:

Partly (30%) fill the boomspray tank with water.

Slowly add required amount of Imtrade Edge 500 WG Herbicide for the area to be sprayed into Granni Pot® or other pre-mixing vessel while agitating well.

Ensure high water volumes and **DO NOT** add to the spray tank until the pre-mix is fully dissolved. This may take several mixes to ensure the correct amount is added to the boomspray tank.

Add the pre-mixed Imtrade Edge 500 WG Herbicide into the boomspray tank with the agitation system operating.

Fill up to the correct volume with water.

The mixture must be kept in suspension at all times by continuous agitation.

Tank-mixtures should be tested for physical compatibility and efficacy before use.

**DO NOT** mix with MCPA. If tank mixing, Imtrade Edge 500 WG Herbicide must be in suspension before adding other herbicides, insecticides or surfactants.

Wash sprayer thoroughly after use.

**DO NOT** handle the water-soluble packaging with wet hands or wet gloves. Keep dry.

### **EQUIPMENT**

Always ensure the sprayer is clean, using ChemAg Spray and Boom Cleaner as directed. It is recommended that for certain turf situations up to 100L/ha spray volume is required.

### **PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS**

**DO NOT** apply to, or allow spray to drift onto crops, pastures or non-target desirable plants, nor onto agricultural land scheduled for cropping or pasture, as injury to the crop or pasture may occur.

### **PROTECTION OF LIVESTOCK**

**DO NOT** graze sheep, cut for stock feed (including poultry and pigs) any treated areas (for 25 days after application).

### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

**DO NOT** contaminate streams, rivers or waterways by cleaning of equipment, disposal of wastes or used containers.

### **STORAGE AND DISPOSAL**

Store in the closed original container in a dry, cool, well-ventilated area, out of direct sunlight. Keep away from contact with fertilizers, insecticides, fungicides and seeds. Protect from frost. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should **NOT** be burnt.

### **SAFETY DIRECTIONS**

Will irritate the eyes and skin. Avoid contact with eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves. After use, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

### **MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet, which can be obtained from your supplier or from Imtrade Australia Pty Ltd website at

**CONDITIONS OF SALE**

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Edge 500 WG Herbicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

**IN A TRANSPORT EMERGENCY  
DIAL 000  
POLICE OR FIRE BRIGADE**

**APVMA Approval No: 59977/0610**