



CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CONQUEST
NITRO²⁴⁰
HERBICIDE

ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT: 869 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached booklet.

IMPORTANT: READ THE ATTACHED BOOKLET THOROUGHLY BEFORE USE

CONQUEST CROP PROTECTION **CONTENTS**
1L

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL (1, 5, 10 and 20 L only)
Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Protect from frost. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS
Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.

CONDITIONS OF SALE
Conquest Crop Protection Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgment in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL	
IN EMERGENCY DIAL 000, POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY CALL 1800 033 111 (24 HOURS)

Batch No: _____ Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017

DOM: _____

APVMA Approval No: 60356/1L/0510 Telephone (08) 9347 0500
Facsimile: (08) 9347 0551

Prepared For: Conquest Crop Protection Pty Limited Unit 1, 46 Hasler Rd, PERTH, WA		Regulatory Author: Conquest Crop Protection Pty Limited		APVMA Approval No: 60356/1L/0510	
Prepared By:	Detail: Name: Conquest Nitro 240 Herbicide 1L Last Revision: 28 July 2010 Size: 260mm x 145mm	Colour Key: C M Y BLACK 	% Proof Sizing of actual article A3 sheet 100%		Copyright © 2008 Conquest Crop Protection Pty Ltd All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without prior permission in writing from Conquest Crop Protection Pty Ltd. All translation rights are reserved by the publisher. Respective Trademarks and copyrights are held by the relevant owners.



CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CONQUEST
NITRO²⁴⁰
HERBICIDE

ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT: 869 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached booklet.

IMPORTANT: READ THE ATTACHED BOOKLET THOROUGHLY BEFORE USE

CONQUEST CROP PROTECTION **CONTENTS 5L**

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL (1, 5, 10 and 20 L only)
Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Protect from frost. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS
Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.

CONDITIONS OF SALE
Conquest Crop Protection Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgment in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL	
IN EMERGENCY DIAL 000, POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY CALL 1800 033 111 (24 HOURS)

Batch No: _____ Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
DOM: _____ Unit 1, 46 Hasler Road
Osborne Park WA 6017
APVMA Approval No: 60356/5L/0510 Telephone (08) 9347 0500
Facsimile: (08) 9347 0551

Prepared For: Conquest Crop Protection Pty Limited Unit 1, 46 Hasler Rd, PERTH, WA		Regulatory Author: Conquest Crop Protection Pty Limited		APVMA Approval No: 60356/5L/0510							
Prepared By:	Detail:	Colour Key	% Proof Sizing of actual article A3 sheet	Copyright © 2008 Conquest Crop Protection Pty Ltd All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without prior permission in writing from Conquest Crop Protection Pty Ltd. All translation rights are reserved by the publisher. Respective Trademarks and copyrights are held by the relevant owners.							
	Name: Conquest Nitro 240 Herbicide 5L Last Revision: 28 July 2010 Size: 260mm x 145mm	<table style="margin: auto;"> <tr> <td>C</td> <td>M</td> <td>Y</td> <td>BLACK</td> </tr> <tr> <td style="background-color: cyan; width: 20px; height: 10px;"></td> <td style="background-color: magenta; width: 20px; height: 10px;"></td> <td style="background-color: yellow; width: 20px; height: 10px;"></td> <td style="background-color: black; width: 20px; height: 10px;"></td> </tr> </table>	C			M	Y	BLACK			
C	M	Y	BLACK								

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING


CONQUEST
NITRO²⁴⁰
HERBICIDE

ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT : 869 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached leaflet.

IMPORTANT: Read the attached leaflet thoroughly before use



Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500, Facsimile: (08) 9347 0551

CONTENTS
10L

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL (1, 5, 10 and 20 L only)
Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Protect from frost. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS
Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.


MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.



CONDITIONS OF SALE
Conquest Crop Protection Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgment in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL	
IN EMERGENCY DIAL 000, POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY CALL 1800 033 111 (24 HOURS)

Batch No:
Date of Manufacture:
APVMA Approval Number: 60356/10L/0510

Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500
Facsimile: (08) 9347 0551




Prepared For: Conquest Crop Protection Pty Limited Unit 1, 46 Hasler Rd, PERTH, WA		Regulatory Author: Conquest Crop Protection Pty Limited		APVMA Approval No: 60356/10L/0510	
Prepared By: 	Detail: Name: Conquest Nitro 240 Herbicide 10L Last Revision: 28 July 2010 Size: 380mm x 150mm	Colour Key: C M Y BLACK 	% Proof Sizing of actual article A3 sheet 100%		Copyright © 2008 Conquest Crop Protection Pty Ltd All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without prior permission in writing from Conquest Crop Protection Pty Ltd. All translation rights are reserved by the publisher. Respective Trademarks and copyrights are held by the relevant owners.

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING


CONQUEST
NITRO²⁴⁰
HERBICIDE

ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT : 869 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached leaflet.

IMPORTANT: Read the attached leaflet thoroughly before use



Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500, Facsimile: (08) 9347 0551

CONTENTS
20L

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL (1, 5, 10 and 20 L only)
Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Protect from frost. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS
Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.


MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.



CONDITIONS OF SALE
Conquest Crop Protection Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgment in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL	
IN EMERGENCY DIAL 000, POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY CALL 1800 033 111 (24 HOURS)

Batch No:
Date of Manufacture:
APVMA Approval Number: 60356/20L/0510

Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500
Facsimile: (08) 9347 0551




Prepared For: Conquest Crop Protection Pty Limited Unit 1, 46 Hasler Rd, PERTH, WA		Regulatory Author: Conquest Crop Protection Pty Limited		APVMA Approval No: 60356/20L/0510	
Prepared By: 	Detail: Name: Conquest Nitro 240 Herbicide 20L Last Revision: 28 July 2010 Size: 380mm x 150mm	Colour Key C M Y BLACK 	% Proof Sizing of actual article A3 sheet 100%	Copyright © 2008 Conquest Crop Protection Pty Ltd All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without prior permission in writing from Conquest Crop Protection Pty Ltd. All translation rights are reserved by the publisher. Respective Trademarks and copyrights are held by the relevant owners.	

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING


CONQUEST
NITRO²⁴⁰
HERBICIDE

ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT : 869 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached leaflet.

IMPORTANT: Read the attached leaflet thoroughly before use



Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500, Facsimile: (08) 9347 0551

CONTENTS
100L

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL
Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Protect from frost. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS
Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.



MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.



CONDITIONS OF SALE
Conquest Crop Protection Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgment in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL	
IN EMERGENCY DIAL 000, POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY CALL 1800 033 111 (24 HOURS)

Batch No:
Date of Manufacture:
APVMA Approval Number: 60356/100L/0510

Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500
Facsimile: (08) 9347 0551

Prepared For: Conquest Crop Protection Pty Limited Unit 1, 46 Hasler Rd, PERTH, WA		Regulatory Author: Conquest Crop Protection Pty Limited		APVMA Approval No: 60356/100L/0510	
Prepared By: 	Detail: Name: Conquest Nitro 240 Herbicide 100L Last Revision: 28 July 2010 Size: 380mm x 150mm	Colour Key: C M Y BLACK 	% Proof Sizing of actual article A3 sheet 100%		Copyright © 2008 Conquest Crop Protection Pty Ltd All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without prior permission in writing from Conquest Crop Protection Pty Ltd. All translation rights are reserved by the publisher. Respective Trademarks and copyrights are held by the relevant owners.

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING


CONQUEST
NITRO²⁴⁰
HERBICIDE

ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT : 869 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached leaflet.

IMPORTANT: Read the attached leaflet thoroughly before use



Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500, Facsimile: (08) 9347 0551

CONTENTS
110L

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL
Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Protect from frost. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS
Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.



MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.



CONDITIONS OF SALE
Conquest Crop Protection Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgment in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL	
IN EMERGENCY DIAL 000, POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY CALL 1800 033 111 (24 HOURS)

Batch No:
Date of Manufacture:
APVMA Approval Number: 60356/110L/0510

Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500
Facsimile: (08) 9347 0551

Prepared For: Conquest Crop Protection Pty Limited Unit 1, 46 Hasler Rd, PERTH, WA		Regulatory Author: Conquest Crop Protection Pty Limited		APVMA Approval No: 60356/110L/0510	
Prepared By: 	Detail: Name: Conquest Nitro 240 Herbicide 110L Last Revision: 28 July 2010 Size: 380mm x 150mm	Colour Key C M Y BLACK 		% Proof Sizing of actual article A3 sheet 100%	
Copyright © 2008 Conquest Crop Protection Pty Ltd All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without prior permission in writing from Conquest Crop Protection Pty Ltd. All translation rights are reserved by the publisher. Respective Trademarks and copyrights are held by the relevant owners.					

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING


CONQUEST
NITRO²⁴⁰
HERBICIDE

ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT : 869 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached leaflet.

IMPORTANT: Read the attached leaflet thoroughly before use



Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500, Facsimile: (08) 9347 0551

CONTENTS
1000L

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL
Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Protect from frost. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS
Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.



MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.



CONDITIONS OF SALE
Conquest Crop Protection Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgment in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL	
IN EMERGENCY DIAL 000, POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY CALL 1800 033 111 (24 HOURS)

Batch No:
Date of Manufacture:
APVMA Approval Number: 60356/1000L/0510

Conquest Crop Protection Pty Ltd.
ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park WA 6017
Telephone (08) 9347 0500
Facsimile: (08) 9347 0551

Prepared For: Conquest Crop Protection Pty Limited Unit 1, 46 Hasler Rd, PERTH, WA		Regulatory Author: Conquest Crop Protection Pty Limited		APVMA Approval No: 60356/1000L/0510	
Prepared By: 	Detail: Name: Conquest Nitro 240 Herbicide 1000L Last Revision: 28 July 2010 Size: 380mm x 150mm	Colour Key: C M Y BLACK 	% Proof Sizing of actual article A3 sheet 100%		Copyright © 2008 Conquest Crop Protection Pty Ltd All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without prior permission in writing from Conquest Crop Protection Pty Ltd. All translation rights are reserved by the publisher. Respective Trademarks and copyrights are held by the relevant owners.

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL

In a Transport Emergency
**Dial
000**
Police or Fire Brigade

FOR SPECIALIST ADVICE
IN AN EMERGENCY DIAL
1800 033 111
ALL HOURS AUSTRALIA WIDE



Conquest Crop Protection Pty Ltd.

ABN 84 098 814 932
Unit 1, 46 Hasler Road
Osborne Park, WA 6017

Telephone (08) 9347 0500
Facsimile: (08) 9347 0551

APVMA Approval No: 60356/0510

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CONQUEST

NITRO²⁴⁰

HERBICIDE

ACTIVE CONSTITUENT: 240 g/L CLETHODIM

SOLVENT : 869 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached leaflet.

IMPORTANT: READ THIS BOOKLET THOROUGHLY BEFORE USING THIS PRODUCT



CONQUEST CROP PROTECTION PTY. LTD
ABN 84 098 814 932
46 Hasler Road, Osborne Park, WA 6017
Telephone: 08 9347 0500, Fax 08 9347 0551

DIRECTIONS FOR USE:**RESTRAINTS:**

DO NOT apply without the addition of an adjuvant (see General Instructions)

DO NOT apply to plants that are stressed by moisture or temperature extremes.

DO NOT apply if rain is expected within one hour of application

DO NOT apply Nitro 240 Herbicide more than once to any one crop.

CROP	CROP GROWTH STAGE	WEED CONTROLLED	RATE mL/ha	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Canola, Chickpeas, Faba beans, Field peas, Lentils ⁽¹⁾ , Lupins ⁽²⁾	Canola: DO NOT APPLY after flower buds become visible (green buds) Chickpeas: DO NOT APPLY beyond full flowering Faba beans: DO NOT APPLY beyond full flowering Field peas: DO NOT APPLY beyond full flowering Lentils: Apply up to the 7 node/early branching stage of crop growth Lupins: DO NOT APPLY after 80% of flowers have opened	Annual ryegrass (<i>Lolium rigidum</i>) Annual phalaris (<i>Phalaris minor</i>)	150 to 500	2 – leaf to fully tillered	Qld, NSW, ACT, Vic, Tas, SA, WA only	Always apply with a crop oil, Refer to Adjuvant Spray additives for specifications. The lower doses will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. See COMPATIBILITY AND CAUTIONS in GENERAL INSTRUCTIONS for mixture recommendations with insecticides, fungicides and other herbicides. ⁽¹⁾ Application up to 7-node/early-branching crop growth stage only ⁽²⁾ Not Qld
		Barley grass (<i>Hordeum leporinum</i>) Brome grass (<i>Bromus diandrus</i>) Wild Oats (<i>Avena</i> spp.)	175 to 500			
	Volunteer Wheat (<i>Triticum aestivum</i>). Volunteer Oats (<i>Avena sativa</i>)	200* to 500 * (175 to 500 in WA only)	500	2 to 5-leaf stage	NSW, ACT, Vic, Tas only	
	Volunteer barley (<i>Hordeum vulgare</i>)					
	Silver grass (<i>Vulpis bromoides</i>) – suppression only	250 to 500	Qld, NSW, ACT only			
	Paradoxa grass (<i>Phalaris paradoxa</i>)	250 to 375				
		375 to 500	5-leaf to fully tillered			

DIRECTIONS FOR USE: continued

CROP	CROP GROWTH STAGE	WEED CONTROLLED	RATE mL/ha	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Cotton (Qld, NSW and NT only), Peanuts, Mung beans, Soybeans	<p>Cotton: DO NOT APPLY after full flowering (mid bloom)</p> <p>Peanuts: DO NOT APPLY after the pod fill stage of crop development</p> <p>Mung beans: DO NOT APPLY after first flower buds are visible</p> <p>Soybeans: DO NOT APPLY after first flower buds are visible</p>	Barnyard grass (<i>Echinochloa spp.</i>) Blown grass (<i>Agrostis aveacea</i>), Crowsfoot grass (<i>Eleusine indica</i>), Feathertop Rhodes grass (<i>Chloris virgata</i>) Liverseed grass (<i>Urochloa panicoides</i>) Red sprangletop grass (<i>Leptochloa filiformis</i>) Seedling Johnson grass (<i>Sorghum halepense</i>) Summer grass (<i>Digitaria spp.</i>) Volunteer sorghum (<i>Sorghum spp.</i>)	250 to 375	2 to 5-leaf stage	Qld, NSW, ACT, Vic, WA, NT only	Always apply with a crop oil, Refer to Adjuvant Spray additives for specifications. The lower doses will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. See COMPATIBILITY AND CAUTIONS in GENERAL INSTRUCTIONS for mixture recommendations with insecticides, fungicides and other herbicides.
			375 - 500	5-leaf to fully tillered		

DIRECTIONS FOR USE:

CROPS	WEED CONTROLLED	RATE mL/ha	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Beetroot, Cabbage, Celery, Lettuce, Potatoes, Onions	Barnyard grass (<i>Echinochloa spp.</i>), Blown grass (<i>Agrostis aveacea</i>), Crowsfoot grass (<i>Eleusine indica</i>), Feathertop Rhodes grass (<i>Chloris virgata</i>), Liverseed grass (<i>Urochloa panicoides</i>), Paradoxa grass (Phalan's paradoxa), Red sprangletop grass (<i>Leptochloa filiformis</i>), Seedling Johnson grass (<i>Sorghum halepense</i>), Summer grass (<i>Digitaria spp.</i>), Volunteer sorghum (<i>Sorghum spp.</i>)	250 to 375	2 to 5-leaf stage	All states	Always apply with a crop oil, Refer to Adjuvant Spray additives for specifications. The lower doses will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. Use a spray volume of 150L/ha when spraying dense grass populations.
		375 to 500	5-leaf to fully tillered		
		Annual ryegrass (<i>Lolium rigidum</i>), Annual phalaris (<i>Phalaris minor</i>)	150 to 500	2-leaf to fully tillered	Always apply with a crop oil, Refer to Adjuvant Spray additives for specifications. The lower doses will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. Use a spray volume of 150 L/ha when spraying dense grass populations.
		Barley grass (<i>Hordeum leporinum</i>), Brome grass (<i>Bromus diandrus</i>), Wild oats (<i>Avena spp.</i>)	175 to 500		
		Volunteer wheat (<i>Triticum aestivum</i>), Volunteer oats (<i>Avena sativa</i>)	200* to 500 *(175 to 500 in WA only)		
		Volunteer barley (<i>Hordeum vulgare</i>)	500		
		Silver grass (<i>Vulpis bromoides</i>) – suppression only (not Qld, WA)	250 to 500		
		Winter grass (<i>Poa annua</i>)	500		

DIRECTIONS FOR USE: continued

CROPS	WEED CONTROLLED	RATE mL/ha	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Forestry, Non- bearing fruit trees and ornamentals	Annual ryegrass (<i>Lolium rigidum</i>), Annual phalaris (<i>Phalaris minor</i>), Barnyard grass (<i>Echinochloa</i> spp.), Barley grass (<i>Hordeum leporinum</i>) Blown grass (<i>Agrostis aveacea</i>), , Brome grass (<i>Bromus diandrus</i>), Crowsfoot grass (<i>Eleusine indica</i>), Feathertop Rhodes grass (<i>Chloris virgata</i>), Liverseed grass (<i>Urochloa panicoides</i>), Paradoxa grass (<i>Phalan's paradoxa</i>), Red sprangletop grass (<i>Leptochloa filiformis</i>), Seedling Johnson grass (<i>Sorghum halepense</i>), Silver grass (<i>Vulpis bromoides</i>) – suppression only (not Qld, WA), Summer grass (<i>Digitaria</i> spp.), Volunteer barley (<i>Hordeum vulgare</i>), Volunteer oats (<i>Avena sativa</i>), Volunteer sorghum (<i>Sorghum</i> spp.), Volunteer Wheat (<i>Triticum aestivum</i>), Winter grass (<i>Poa annua</i>)	500	2-leaf to fully tilled	All States	Apply after plants have recovered from transplant shock and are showing signs of active growth. Always apply with Conquest Glisarin 704 at 1L/100L or Conquest Powersurge at 500mL/100L spray volume. Use a spray volume of 150L/ha when spraying dense grass populations. DO NOT use on Gymnosperms (pines, conifers, etc) unless a prior test has been conducted to check safety on the relevant spies. See COMPATIBILITY AND CAUTIONS in GENERAL INSTRUCTIONS for particular species.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY OTHER MANNER CONTRARY TO THIS LABEL UNLESS
AUTHORISED UNDER APPROPRIATE LEGISLATION.**

WITHHOLDING PERIODS:

HARVEST:

CANOLA, CHICKPEAS, COTTON, FABA BEANS, FIELD PEAS,

LENTILS, LUPINS, MUNGBEANS, PEANUTS, SOYBEANS :

FORESTRY:

BETROOT, CABBAGE:

ONIONS:

LETTUCE, POTATOES:

CELERY:

NOT REQUIRED WHEN USED AS DIRECTED.

NOT REQUIRED WHEN USED AS DIRECTED

DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.

DO NOT APPLY LATER THAN 14 DAYS BEFORE HARVEST.

DO NOT APPLY LATER THAN 4 WEEKS BEFORE HARVEST.

DO NOT APPLY LATER THAN 9 WEEKS BEFORE HARVEST.

GRAZING:

CANOLA, CHICKPEAS, FABA BEANS, FIELD PEAS, LENTILS, LUPINS, MUNGBEANS, PEANUTS, SOYBEANS : DO NOT GRAZE OR CUT FOR STOCK FEED FOR 21 DAYS AFTER APPLICATION.

COTTON: DO NOT GRAZE OR CUT COTTON FORAGE OR STUBBLE FOR STOCK FEED

GENERAL INSTRUCTIONS**GROUP A HERBICIDE****RESISTANT WEEDS WARNING:**

Conquest Nitro 240 Herbicide is a member of the cyclohexanedione group of herbicides. Conquest Nitro 240 Herbicide has the inhibition of acetyl coA carboxylase mode of action. For weed resistance management, Conquest Nitro 240 Herbicide is a Group A Herbicide. Some naturally-occurring weed biotypes resistant to Conquest Nitro 240 Herbicide and other Group A Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Conquest Nitro 240 Herbicide or other Group A Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Conquest Crop Protection Pty Ltd accepts no liability for any losses that may result from the failure of Conquest Nitro 240 Herbicide to control resistant weeds.

CLEANING SPRAY EQUIPMENT**Before using Conquest Nitro 240 Herbicide**

Ensure that the recommended clean-out procedure for the previous product (particularly sulfonylurea herbicides) sprayed with the equipment was done properly.

After using Conquest Nitro 240 Herbicide

Empty the tank and drain the whole system.

Thoroughly wash inside the tank using a pressure hose, drain the tank and clean all filters in the tank, pump line and nozzles.

Use of a household detergent will aid in cleaning the equipment. Add detergent to the part-filled spray tank and thoroughly circulate through pumps, hoses and nozzles. Drain the system and thoroughly rinse twice with clean water.

Rinse water should be discharged onto a designated disposal area, or if this is unavailable, onto unused land away from desirable plants and water sources.

MIXING:

To ensure even mixing, half-fill the spray tank with clean water and add the required amount of product. Add spray additive and agitate thoroughly, then add the remainder of the water. Agitate again before spraying commences.

ADJUVANTS AND SPRAY ADDITIVES

Always apply Conquest Nitro 240 EC Herbicide with a crop oil. Conquest Nitro 240 EC Herbicide may be applied with Conquest Glisarin 704, Hasten* and DC Trate Advance at 1L/100L water or with Conquest Powersurge, Enhance* or Uptake* at 0.5 – 1.0L/100L water. Use the higher adjuvant rate when targeting large weeds or if spraying conditions are less than optimal. Conquest Nitro 240 EC Herbicide is also compatible with ammonium sulphate products such as Conquest Dissolve Ammonium Sulphate and Conquest AMSUL 417. When mixing Conquest Nitro 240 EC Herbicide with atrazine, only use with Conquest Powersurge, Enhance* or Uptake* at 1L/100L. The addition of ammonium sulphate may improve the performance of this tank mix. Conquest Nitro 240 EC Herbicide is not recommended with adjuvants not listed on this label.

APPLICATION:**Ground Application:**

Conquest Nitro 240 Herbicide should be applied with calibrated spray equipment producing a median droplet range of 200 to 300 microns VMD. Apply in a minimum of 50 litres of water per hectare. Use 150 L/ha when spraying dense populations.

Aerial Application:

Conquest Nitro 240 Herbicide can be applied through aircraft fitted with boom or Micronair equipment. A spray volume of 20 to 30 L/ha is recommended and equipment should be adjusted to deliver droplets in the range of 200 to 250 microns VMD.

Best results will be obtained when aerial applications are made in a light crosswind. Applications should not be made during temperature inversions or in conditions of very low relative humidity. Care should be taken to avoid drift damage to adjoining grass crops.

COMPATIBILITY:

Conquest Nitro 240 Herbicide is compatible with the following grass herbicides: Conquest Atomic, Fusilade*, Verdict*, Sertin*, Correct*. (Refer to the Bayer Correct label for detail on adjuvant recommendations for that product).

NOTE: In all situations where Conquest Nitro 240 Herbicide is mixed with another grass herbicide, Conquest Nitro 240 Herbicide should be used at the full label rate specified for the target weed species.

Conquest Nitro 240 Herbicide may also be applied in tank mixtures with one of the following products: Sumi-Alpha* 50 EC, Sumi-Alpha Dual*, Conquest Alpha Duo 100 EC, and Le-Mat*.

Conquest Nitro 240 Herbicide should not be applied in a tank mix with Conquest Defcon 500, Basagran* or Blazer*.

Apply as separate applications. For information on compatibility of products not listed, please refer to Conquest Crop Protection Pty Ltd.

CAUTION:

Ornamentals and Trees – While Conquest Nitro 240 Herbicide is generally selective to broadleaved plants (i.e. it is active against grasses), tests should always be made on a small number of plants not previously tested.

DO NOT use on Gymnosperms (pines, conifers, etc) unless a prior test has been conducted to check safety on the relevant species.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS:

DO NOT APPLY Conquest Nitro 240 Herbicide if wind is likely to cause drift onto susceptible crops/plants, cropping lands or pastures. Conquest Nitro 240 Herbicide should not be applied through misting equipment or any other method likely to cause excessive drift. Care should be taken to avoid damage to adjoining native grasses or grass crops.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL (1, 5, 10 and 20 L only)

Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Protect from frost. Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet, which can be obtained from the supplier.

CONDITIONS OF SALE

Conquest Crop Protection Pty. Ltd. shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Conquest skill of judgment in the purchasing or using the same and every person using this product does so at his own risk absolutely. No representative of Conquest has the authority to add or alter these.

* Registered Trademarks



APVMA Approval No:	60356
Application Number:	50062
File Name:	60356_50062_Booklet_MPL_V1.pdf
Product Name:	Conquest Nitro 240 Herbicide
Pack Size:	Booklet
Dimensions:	170mm x 120mm
Print Size:	A4 - 100%