

170 mm

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**ACTIVE CONSTITUENTS: 240 g/L CLODINAFOP-PROPARGYL  
60 g/L CLOQUINTOCET-MEXYL.**

**SOLVENTS: 443 g/L LIQUID HYDROCARBONS  
81 g/L N-METHYL-2-PYRROLIDONE**

**GROUP A HERBICIDE**

For the control of Wild Oats, Paradoxa Grass (Annual Phalaris), Canary Grass and Annual Ryegrass in Wheat. Highly active on Wild Oats and can be mixed with many Broadleaf Herbicides.

**IMPORTANT: READ THE ATTACHED LEAFLET  
BEFORE USING THIS PRODUCT.**



SIPCAM PACIFIC AUSTRALIA PTY LIMITED  
Level 1, 191 Malop Street, Geelong VIC 3220

**CONTENTS: 1L  
APVMA APPROVAL NO:  
61526/1L/0407**

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT apply to irrigation drains or channels. DO NOT contaminate dams, streams, creeks and rivers with the chemical, spray mixture, used containers or equipment washings.

#### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

#### SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid inhaling spray mist. Avoid contact with eyes and skin. When opening the container, preparing spray and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, elbow-length butyl rubber gloves and face shield or goggles. If product gets on skin, immediately wash area with soap and water. If product gets in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

#### FIRST AID

If poisoning occurs contact a Doctor or Poisons Information Centre. Phone Australia 131 126. If swallowed, do NOT induce vomiting. Give a glass of water. If in eyes, wash out immediately with water.

#### MATERIAL SAFETY DATA SHEET

If additional hazard information is required refer to the Material Safety Data Sheet. For a copy visit our website at [www.sipcam.com.au](http://www.sipcam.com.au).

#### MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

Sipcam Pacific Australia Pty Limited (Sipcam) shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence, use under abnormal conditions or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Sipcam's skill or judgment in purchasing or using the product and every person dealing with this product does so at their own risk.

DOM:

Batch No:



140 mm



Not a Dangerous Good for transport by road or rail according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

For specialist advice in emergency only, call  
**1800 033 111** all hours, Australia wide.

© Registered trademark of Sipcam Pacific Australia Pty Ltd.

PEEL HERE



**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



**TREND**®  
**HERBICIDE**

**ACTIVE CONSTITUENTS: 240 g/L CLODINAFOP-PROPARGYL 60 g/L CLOQUINTOCET-MEXYL.**  
**SOLVENTS: 443 g/L LIQUID HYDROCARBONS 81 g/L N-METHYL-2-PYRROLIDONE**

**GROUP A HERBICIDE**

For the control of Wild Oats, Paradoxa Grass (Annual Phalaris), Canary Grass and Annual Ryegrass in Wheat. Highly active on Wild Oats and can be mixed with many Broadleaf Herbicides.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT.

® Registered trademark of Sipcaml Pacific Australia Pty Ltd



SIPCAM PACIFIC AUSTRALIA PTY LIMITED  
Level 1, 191 Malop Street, Geelong Victoria 3220

**CONTENTS: 5L**  
**APVMA APPROVAL NO:**  
**61526/5L/0407**

Size 150mm wide x 140mm high



### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT apply to irrigation drains or channels. DO NOT contaminate dams, streams, creeks and rivers with the chemical, spray mixture, used containers or equipment washings.

### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

### SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid inhaling spray mist. Avoid contact with eyes and skin. When opening the container, preparing spray and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, elbow-length butyl rubber gloves and face shield or goggles. If product gets on skin, immediately wash area with soap and water. If product gets in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

### FIRST AID

If poisoning occurs contact a Doctor or Poisons Information Centre. Phone Australia 131 126. If swallowed, do NOT induce vomiting. Give a glass of water. If in eyes, wash out immediately with water.

### MATERIAL SAFETY DATA SHEET

If additional hazard information is required refer to the Material Safety Data Sheet. For a copy visit our website at [www.sipcam.com.au](http://www.sipcam.com.au).

### MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

Sipcam Pacific Australia Pty Limited (Sipcam) shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence, use under abnormal conditions or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Sipcam's skill or judgment in purchasing or using the product and every person dealing with this product does so at their own risk.

DOM:

Batch No:



Not a Dangerous Good for transport by road or rail according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

For specialist advice in emergency only, call  
**1800 033 111** all hours, Australia wide.

© Registered trademark of Sipcam Pacific Australia Pty Ltd

PEEL HERE



Size 150mm wide x 140mm high

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



# TREND®

## HERBICIDE

**ACTIVE CONSTITUENTS: 240 g/L CLODINAFOP-PROPARGYL 60 g/L CLOQUINTOCET-MEXYL.**  
**SOLVENTS: 443 g/L LIQUID HYDROCARBONS 81 g/L N-METHYL-2-PYRROLIDONE**

**GROUP A HERBICIDE**

For the control of Wild Oats, Paradoxa Grass (Annual Phalaris), Canary Grass and Annual Ryegrass in Wheat. Highly active on Wild Oats and can be mixed with many Broadleaf Herbicides.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT.



© Registered trademark of Sipcam Pacific Australia Pty Ltd

SIPCAM PACIFIC AUSTRALIA PTY LIMITED  
Level 1, 191 Malop Street, Geelong Victoria 3220

**CONTENTS: 10L**  
**APVMA APPROVAL NO:**  
**61526/10L/0407**



### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT apply to irrigation drains or channels. DO NOT contaminate dams, streams, creeks and rivers with the chemical, spray mixture, used containers or equipment washings.

### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

### SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid inhaling spray mist. Avoid contact with eyes and skin. When opening the container, preparing spray and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, elbow-length butyl rubber gloves and face shield or goggles. If product gets on skin, immediately wash area with soap and water. If product gets in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

### FIRST AID

If poisoning occurs contact a Doctor or Poisons Information Centre. Phone Australia 131 126. If swallowed, do NOT induce vomiting. Give a glass of water. If in eyes, wash out immediately with water.

### MATERIAL SAFETY DATA SHEET

If additional hazard information is required refer to the Material Safety Data Sheet. For a copy visit our website at [www.sipcam.com.au](http://www.sipcam.com.au).

### MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

Sipcam Pacific Australia Pty Limited (Sipcam) shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence, use under abnormal conditions or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Sipcam's skill or judgment in purchasing or using the product and every person dealing with this product does so at their own risk.

DOM:

Batch No:



Not a Dangerous Good for transport by road or rail according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

For specialist advice in emergency only, call  
**1800 033 111** all hours, Australia wide.

© Registered trademark of Sipcam Pacific Australia Pty Ltd

PEEL HERE



**DIRECTIONS FOR USE**

**Restrains:** DO NOT apply if rainfall is expected within 2 hours.  
DO NOT apply to weeds or crops which are under stress. For example, due to very dry, very wet, frosty or diseased conditions, nutrient deficiency or high insect pressure.  
DO NOT apply to weeds or crops immediately after a prolonged period of frosts.  
DO NOT apply under poor growing conditions

CROP	WEEDS CONTROLLED	STATE	RATE PER HECTARE	WEED GROWTH STAGE	CRITICAL COMMENTS	
Wheat 2 leaf to late Jointing (Zadocks 12-37)	Wild Oats	QLD, Nth NSW only	65 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake oil per 100 L of water.	2 to 5 leaf	<b>NOT TO BE MIXED WITH BROADLEAF HERBICIDES AT THESE RATES.</b> Apply at 85 mL/ha when weeds are not actively growing. Where low water volumes are used, DO NOT use less than the minimum oil volumes specified (See Minimum Oil Volumes). <b>Cold water:</b> Under cold water conditions (10°C or less), use Hasten instead of D-C-Trate or Uptake.	
			85 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake oil per 100 L of water.	2 leaf to mid tillering		
			85 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake oil per 100 L of water.	2 to 5 leaf		
			125 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake oil per 100 L of water.	2 leaf to mid tillering		
		Sthn NSW, VIC, SA, WA only	65 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake oil per 100 L of water. Or 100 mL of a 100% non-ionic surfactant per 100 L of water.	2 to 5 leaf		<b>MAY BE TANK MIXED WITH COMPATIBLE HERBICIDES.</b> Apply in mixtures for broadleaf weed control only when weeds are actively growing. When mixing Trend with certain broadleaf weed herbicides some reduction in grass weed control may occur. Refer to compatibility chart for specific rates for tank mixes. Unless otherwise specified always use D-C Trate, Uptake or Hasten when tank mixing broadleaf herbicides. Apply at 85 mL/ha when weeds are not actively growing. Where low water volumes are used, DO NOT use less than the minimum oil volumes specified (See Minimum Oil Volumes). <b>Cold water:</b> Under cold water conditions (10°C or less), use Hasten instead of D-C-Trate or Uptake.
			85 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake oil per 100 L of water. Or 100 mL of a 100% non-ionic surfactant per 100 L of water.	2 leaf to mid tillering		
	Paradoxa Grass ( <i>Phalaris paradoxa</i> )  Canary Grass ( <i>Phalaris minor</i> )	QLD, NSW, VIC, SA only	85 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake per 100 L of water.	2 to 3 leaf		<b>NOT TO BE MIXED WITH BROADLEAF HERBICIDES AT BELOW 160 mL/ha.</b> Apply in mixtures for broadleaf weed control only when weeds are actively growing. When mixing Trend with certain broadleaf weed herbicides some reduction in grass weed control may occur. Apply at 160 mL/ha when weeds are not actively growing. Where low water volumes are used, DO NOT use less than the minimum oil volumes specified (See Minimum Oil Volumes). <b>Cold water:</b> Under cold water conditions (10°C or less), use Hasten instead of D-C-Trate or Uptake.
			125 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake per 100 L of water.	2 to 5 leaf		
160 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake per 100 L of water.			2 leaf to early tillering			
Annual Ryegrass	NSW, VIC, SA, WA only	160 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake per 100 L of water.	2 to 4 leaf	<b>MAY BE TANK MIXED WITH COMPATIBLE HERBICIDES.</b> Apply in mixtures for broadleaf weed control only when weeds are actively growing. When mixing Trend with certain broadleaf weed herbicides some reduction in grass weed control may occur. Apply at 210 mL/ha when weeds are not actively growing. Where low water volumes are used, DO NOT use less than the minimum oil volumes specified (See Minimum Oil Volumes). <b>Cold water:</b> Under cold water conditions (10°C or less), use Hasten instead of D-C-Trate or Uptake.		
		210 mL + 1 L of D-C-Trate oil or 500 mL Hasten or Uptake per 100 L of water.	2 leaf to early tillering			

262 mm

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHHOLDING PERIOD**

Harvested grain:

Animal grazing/feeding:

**WITHHOLDING PERIOD NOT REQUIRED WHEN USED AS DIRECTED.****DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 4 WEEKS AFTER APPLICATION.**

**GENERAL INSTRUCTIONS:** Trend Herbicide should be applied only when weeds are actively growing.

**Resistant Weeds Warning****GROUP A HERBICIDE**

Trend Herbicide is a member of the aryloxyphenoxypropionate ("fop") group of herbicides. Trend has the inhibition of fat (lipid) synthesis, (or inhibitors of acetyl CoA carboxylase) mode of action. For weed resistance management Trend is a Group A herbicide. Some naturally-occurring weed biotypes resistant to Trend and other Group A herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Trend or other Group A herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Sipcarn accepts no liability for any losses that may result from the failure of Trend to control resistant weeds. **Weed biotypes resistant to diclofop-methyl and other "grass specific" herbicides can also often be resistant to Trend. Before using Trend on a population resistant to or suspected to be resistant to "grass specific" herbicides, have a resistance test conducted to ensure that it is susceptible to Trend.** Large numbers of healthy surviving weeds can be an indication that resistance is developing. Efforts should be made to prevent seed set of the surviving weeds. DO NOT make more than one application of a Group A herbicide with the inhibition of fat (lipid) synthesis (or inhibitors of acetyl CoA carboxylase) mode of action to a crop in the same season. If the user suspects that the target weed population is resistant to herbicides with this mode of action, Trend or other Group A herbicides should not be used. Strategies to minimise the risk of herbicide resistance are available. The above recommendations should be incorporated into an Integrated Weed Management (IWM) Program. Consult your farm chemical supplier, consultant, local Department of Agriculture or Primary Industries, or local Sipcarn representative for details.

**Mixing:** Fill the spray tank to one quarter full. Then add Trend while adding water to make up the final spray volume. Pour Trend into the stream of incoming water. Good agitation at the time Trend is added to the tank will ensure good mixing. Add the required amount of D-C-Trate\*, Hasten\* or Uptake\* oil just before the tank is full of water and with the agitators in motion.

**Mixing Order:** Some products may react with other products if they are not mixed in the correct order. The general mixing order of products should be:

1. Water conditioners or buffers
2. Water dispersible granules (WG)
3. Wettable powders (WP)
4. Flowable or suspension concentrates (SC)
5. Emulsifiable concentrates (EC) (Trend)
6. Water based or soluble concentrates
7. Oils and wetters - eg Hasten, BS 1000

It is important to ensure that each individual component of the tank mix is fully dissolved and in solution before the next product is added to the tank mix, otherwise mixing problems may occur.

**Minimum Oil Volumes:** The minimum amount of oil to be applied with Trend will depend on the type of oil used. When applying Trend using low water volumes, DO NOT use less than the minimum oil volumes specified below:

- For oils normally applied at 1% v/v (eg D-C-Trate), DO NOT apply less than 500 mL oil/ha.
- For oils normally applied at 0.5% v/v (eg Uptake, Hasten), DO NOT apply less than 250 mL oil/ha.

**Cleaning Spray Equipment:** After using Trend, empty the tank completely and drain the whole system. Thoroughly wash inside the tank using a pressure hose, drain the tank and clean any filters in the tank, pump, line and nozzles.

**To rinse:** After cleaning the tank as above, quarter fill the tank with clean water and circulate through the pump, lines, hoses and nozzles. Drain and repeat the rinsing procedure twice.

**To decontaminate:** Before spraying cereals (except wheat), maize, sorghum or other sensitive crops, wash the tank and rinse the system as above. Drain and repeat the rinsing procedure. Then quarter fill the tank and add a liquid alkali detergent (eg SURF\*, OMO\*, DRIVE\*) at 0.5 L/100 L of water and circulate throughout the system for at least fifteen minutes. Drain the whole system. Remove filters and nozzles and clean them separately. Finally flush the system with clean water and allow to drain. Dispose of all water used for cleaning in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots.

**Application**

**Ground Application:** Boom spray with flat fan nozzles. Ensure good spray coverage is obtained. Apply using 50 to 110 L water per hectare. The ideal droplet size is 200 to 300 microns VMD.

**Aircraft Application:** For best results use 20 to 30 L water per hectare and spray at 2 m to 3 m above the crop. Ideal droplet size is 250 to 350 microns VMD. For rotary atomizers (micronairs) this can be achieved using blade angles of 55° to 65°. Where booms and nozzles are attached, flat fan nozzles with a spray angle of 65° to 90° should be used. Avoid applying Trend if wind speeds are greater than 5 m/s. If spraying in calm conditions use larger droplets and reduce flying height.

**Compatibility:** When Trend is applied with compatible herbicides always use a recommended oil. Only use a 100% non-ionic surfactant when mixing with diflufenican based products.

**Grass Herbicides:** Trend is compatible with diclofop methyl, eg Nugrass\*.

**Broadleaf Herbicides:** Some broadleaf weed herbicides are incompatible with Trend because they reduce the effectiveness of Trend or because in mixture they may cause crop yellowing. For the latest information on compatibility of Trend with broadleaf herbicides refer to your Sipcarn Territory Manager.

**Incompatible:** Diuron, triasulfuron, Barrel\* (bromoxynil + dicamba + MCPA) and all 2,4-D formulations are known to be incompatible with Trend. Herbicides which are incompatible with Trend must be applied separately. In this situation, apply Trend first and then allow at least 10 days between its application and application of the broadleaf weed herbicide.

**Insecticides:** Trend is compatible with Supracide\*.

**PRECAUTIONS: Re-entry Period**

DO NOT enter treated areas without protective clothing until the spray has dried.

**PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS:** DO NOT apply on or near shrubs, trees, lawns or crops other than wheat. DO NOT drain or flush equipment on or near desirable trees or other plants, where their roots may extend, or in situations where by movement of soil or by seepage absorption of the herbicide may occur. DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures. DO NOT allow spray to drift onto adjacent fallow land.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** DO NOT apply to irrigation drains or channels. DO NOT contaminate dams, streams, creeks and rivers with the chemical, spray mixture, used containers or equipment washings.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS:** Harmful if swallowed. Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid inhaling spray mist. Avoid contact with eyes and skin. When opening the container, preparing spray and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, elbow-length butyl rubber gloves and face shield or goggles. If product gets on skin, immediately wash area with soap and water. If product gets in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID:** If poisoning occurs contact a Doctor or Poisons Information Centre. Phone 131 126. If in eyes, wash out immediately with water.

**MATERIAL SAFETY DATA SHEET:** If additional hazard information is required refer to the Material Safety Data Sheet. For a copy visit our website at [www.sipcarn.com.au](http://www.sipcarn.com.au).

**MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY:** Sipcarn Pacific Australia Pty Limited (Sipcarn) shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence, use under abnormal conditions or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Sipcarn's skill or judgment in purchasing or using the product and every person dealing with this product does so at their own risk.

® Registered trademark of Sipcarn Pacific Australia Pty Ltd.

\* Registered trademark

Not a Dangerous Good for transport by road or rail according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

For specialist advice in emergency only, call **1800 033 111** all hours, Australia wide.

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**TREND**  
HERBICIDE

**ACTIVE CONSTITUENTS:** 240 g/L CLODINAFOF-PROPARGYL  
60 g/L CLOQUINTOCET-MEXYL.

**SOLVENTS:** 443 g/L LIQUID HYDROCARBONS  
81 g/L N-METHYL-2-PYRROLIDONE

**GROUP A HERBICIDE**

For the control of Wild Oats, Paradoxa Grass (Annual Phalaris), Canary Grass and Annual Ryegrass in Wheat. Highly active on Wild Oats and can be mixed with many Broadleaf Herbicides.

THIS LEAFLET IS PART OF THE LABEL.

**CONTENTS: 1L**  
**APVMA APPROVAL NO:**  
**61526/1L/0407**



SIPCARN PACIFIC AUSTRALIA PTY LIMITED  
Suite 11, 23-31 Gheeringtap Street, Geelong VIC 3220