

Product Name: CONQUEST GLISARIN 704 SPRAY ADJUVANT

Product ID: 61791/120030



Label Name:	CONQUEST GLISARIN 704 SPRAY ADJUVANT
-------------	--------------------------------------

Signal Headings:	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	704 g/L Ethyl and Methyl Esters of Canola Oil Fatty Acids With 196 g/L Non-ionic Surfactants
-------------------------	---

Mode of Action:	
-----------------	--

Statement of Claims:	An esterified oil based product with non-ionic surfactants to assist the effectiveness of Herbicides and other Agricultural Chemicals GLISARIN improves your spray results by; - increasing penetration through waxy cuticles - increasing wetting and spreading of spray droplets - reducing spray droplet evaporation rates
----------------------	---

Net Contents:	5L - 1000L
---------------	------------

Restrains:	
------------	--

Directions for Use:	Product Description: GLISARIN is a blend of esterified vegetable oil and non-ionic surfactants that is suitable for use as a Spray Adjuvant with a range of agricultural chemicals including Herbicides, Insecticides, Fungicides, Defoliant and Desiccants where oil based adjuvants are specified on the label Important: Prior to use, read all directions on this label and on the label of the agricultural chemical being used. Any specific usage or restrictions on the agricultural chemical's label have precedence over directions for use referred to on this label.
---------------------	---

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	This section contains file attachment.
-----------------------	--

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT DO NOT contaminate streams, rivers or watercourses with the chemical or used containers
--------------	---

Storage and Disposal:	Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.
-----------------------	--

Safety Directions:	May irritate the eyes and skin. Avoid contact with eyes and skin. Avoid inhaling vapour or spray mist. When using the product wear protective clothing. After use wash thoroughly with soap and water. After each day's use wash contaminated clothing. WHEN USING TOGETHER WITH OTHER CHEMICALS CONSULT THEIR SAFETY DIRECTIONS.
--------------------	---

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131126)
-------------------------	--

First Aid Warnings:	
---------------------	--

GENERAL INSTRUCTIONS

Mixing: Follow the directions on the agricultural chemical's label. Fill spray tank one-half full of water and add the required amount of the agricultural chemical while agitating. Add remainder of the water. Add the required amount of GLISARIN last and continue agitation until completion of spraying.

Compatibility: GLISARIN can provide enhanced performance when compared with mineral oil or vegetable oil based adjuvants. Under Cold conditions (<10°C) GLISARIN is preferred to other crop oil adjuvants when used with certain herbicides as recommended on their label.

GLISARIN is compatible with the following products, however all instructions on the agricultural chemical's label must be strictly followed.

HERBICIDES:

PRODUCT	GLISARIN RATE PER 100L OF SPRAY VOLUME	CRITICAL COMMENTS
Arvesta* Motsa*	1L	GLISARIN is recommended for all applications where Arvesta Motsa is used
Atlantis*	1L	Use GLISARIN for brome grass and barley grass suppression
Atraquest and other atrazine products	0.5 - 1L	Recommended for post-emergent use in TT Canola.
Blazer* and other Acifluorfen products	1L	Recommended for use in Mung Beans only.
Cheetah* Gold	1L	GLISARIN is recommended for all applications where Cheetah Gold is used.
Decision*	1L	Do Not use GLISARIN when using Decision in mixtures with Radicate®, Tigrex* or Giant. Apply with foliar zinc oxide.
Destiny*	0.5 – 1L/ha	GLISARIN is recommended for all applications where Destiny is used
Explode® 360 and equivalents	0.5 - 1L	GLISARIN is recommended for all applications where Explode 360 is used.
Hussar*	1L	GLISARIN is recommended for all applications where Hussar is used.
Imazamax® WG and other 700g/kg Imazamox products	0.5 or 1L	There are some applications where GLISARIN should not be used with Imazamax WG or other Imazamox products. Refer to product labels.
Intervix* & Intercept*	1L	GLISARIN is recommended for all applications where In- tervix or Intercept are used
Logran· B-Power	0.5L	GLISARIN is recommended for all applications where Logran B-Power is used
Mainsail and other 700g/kg Imazethapyr products	0.5L	Use GLISARIN for Post-emergence applications in accordance with Mainsail or 700g/kg Imazethapyr product labels.
Midas*	0.5L	GLISARIN is recommended for all applications where Midas is used
Nitro® and other Clethodim 240EC products	0.5 - 1L	GLISARIN is recommended for all applications where Nitro is used, or for other Clethodim 240EC products which specify GLISARIN on their label.
OnDuty*	0.5L	GLISARIN is recommended for all applications where OnDuty is used
Precept*	0.5 – 1L	Refer to Precept label when tank mixing with other herbicides
Racer® 250 and other butoxydim 250g/kg products	0.5 – 1L	Refer to Racer label when tank mixing with other herbicides
Ranga® and other 240 g/L Imazapic products	1L	Recommended for post-emergent use in Peanuts only.
Sharpen*	1L	GLISARIN is recommended for all applications where Sharpen is used.
Shogun*	0.5L	Refer to Shogun label.
Snooker® and other Clodinafop 240EC products	0.5L	GLISARIN is recommended for all applications where Snooker and other Clodinafop 240EC products are used.
Spike® and other Carfentrazone-ethyl products	0.5 - 1L	GLISARIN is recommended for use with Spike to control certain weeds. See Spike label for use rate and details

Targa* Bolt and other Quizalofop-p-ethyl 200EC products	1L	GLISARIN is recommended for all applications where Targa Bolt is used, or for other Quizalofop-p-ethyl 200EC products which specify GLISARIN on their label.
Terbaquest® & other terbuthiazine granules	0.5L	For post-emergent applications
Tordon* Regrowthmaster	0.5L	Refer to recommendations provided by Dow AgroSciences
Valor* and other Flumioxazin products	0.5 – 1L	Use the lower rate on actively growing weeds
Velocity*	1L	GLISARIN is recommended for all applications where Velocity is used.

Use of GLISARIN with other Herbicides, Insecticides, Fungicides, Defoliants or Desiccants :

GLISARIN may be used wherever an oil-based adjuvant is recommended on the label of the agricultural chemical, unless GLISARIN or esterified seed-oil adjuvants are specifically excluded. The recommended usage rate of GLISARIN for all such applications should be approximately 0.5 – 1.0 L / ha and should not be less than 0.2 L / ha (see Table below).

Spray Application	Spray Volume / Hectare	Rate of GLISARIN L / 100 L of Spray Volume
Low Volume	10 – 20 L / ha	2 – 5 L
Broadacre Boom Spray	50 – 100 L / ha	0.5 – 2.0 L
High Volume	200 – 500 L / ha	0.2 – 0.5 L

When spraying at volumes other than those shown above, apply GLISARIN at approximately 0.5 – 1.0 L / ha.

FUNGICIDE AND INSECTICIDE PRODUCTS

PRODUCT	GLISARIN RATE	Critical Comments
Movento*	0.5 – 1L/ha	See Movento label for crop specific instructions and restrictions
Mantaray® and Prosaro*	1L/100L	See Mantaray and Prosaro label for specific instructions on adjuvant use.
Skope Insecticide	1L/ha	Use GLISARIN where silverleaf whitefly is the main insect target

COTTON DEFOLIATION

PRODUCT	RATE	CRITICAL COMMENTS
Thidiazuron and Thidiazuron + Diuron products for defoliation Mace®, Dropp* Dropp Ultramax*, Echem Thi-Ultra, Echem Thidiazuron 500 ETee* Defoliant Ethephon products for boll opening Prep* & Finish* (when used with Thidiazuron products)	GLISARIN 0.5L/ha	GLISARIN can be used to assist the performance of certain cotton defoliation products.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Crop Safety: Refer to the directions on the agricultural chemical label. Caution must be exercised when applying GLISARIN with agricultural chemicals on sensitive crops during periods when plants are subject to drought stress, high temperatures or high humidity. If in doubt about the appropriateness of using GLISARIN, please test by application to a small area before using it on a full-scale basis.

Spillage: In the event of spillage absorb onto sand or chemical absorbent. Remove residue with detergent and hot water. Dispose of by normal waste disposal methods conforming to local authority codes.

*Registered trademarks