

Product Name: CONQUEST CATALYST 700 SURFACTANT
APVMA Approval No: 62497/138595



Label Name:	CONQUEST CATALYST 700 SURFACTANT
-------------	----------------------------------

Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	350 g/L SOYAL PHOSPHOLIPIDS 350 g/L PROPIONIC ACID
-------------------------	---

Mode of Action:	
-----------------	--

Statement of Claims:	Acidifying and Penetrating Surfactant. Reduces Alkaline Hydrolysis of Dimethoate. Assists with Uptake of Foliar Fertilisers. Assists in Management of Spray Droplet Size.
----------------------	---

Net Contents:	10L-1000L
---------------	-----------

Restrains:	RESTRAINT: DO NOT use with copper products.
------------	--

Directions for Use:	This section contains file attachment.
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	<p>GENERAL INSTRUCTIONS: Conquest Catalyst 700 can be used where the addition of a wetter/spreader or self emulsifying oil is required or recommended on the agricultural chemical label.</p> <p>Penetration and Wetter: Conquest Catalyst 700 is a multipurpose adjuvant which is composed of natural surfactants and penetrants derived from soyabean oils. These are combined with propionic acid to produce a penetrant, surfactant, acidifier for use with herbicides, insecticides, fungicides, foliar fertilisers and plant growth regulators. The unique properties of Conquest Catalyst 700 enhance the uptake of many systemic herbicides, allowing them to effectively penetrate into leaves, without causing damage to non-target crop plants.</p> <p>Acidification: Conquest Catalyst 700 also acts as an acidifier which will reduce pH, in most cases to between 4 and 5. This reduces losses due to alkaline hydrolysis and also assists with the uptake of weak acid herbicides.</p> <p>Droplet size management Conquest Catalyst 700 will reduce the number of fine droplets produced by flat fan nozzles, without increasing the number of coarse or larger droplet size category. Conquest Catalyst 700 will reduce the fine droplets associated with, but not eliminate, off-target movement of the pesticide being used. This is contingent upon good agricultural spraying practise and appropriate nozzle choice. DO NOT use in situations that are conducive to drift. Refer to Conquest Agrochemicals representative for further advice and stewardship.</p> <p>MIXING: Half fill the spray tank with water and commence agitation. Add the required quantity of Conquest Catalyst 700 then add the recommended quantity of herbicide, insecticide or foliar fertilizer. Continue agitation while topping up the tank and during spraying. Do not use with copper products.</p>
-----------------------	--

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	<p>PROTECTION OF WILDLIFE, FISH CRUSTACEA AND ENVIRONMENT: DANGEROUS TO FISH. DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.</p>
--------------	--

Storage and Disposal:	<p>STORAGE AND DISPOSAL: Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p>
-----------------------	--

Safety Directions:	SAFETY DIRECTIONS
--------------------	--------------------------

Will damage eyes. Will irritate the skin. Avoid contact with eyes and skin. When using together with other products, consult their label safety directions. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbowlength chemical resistant gloves and face shield. Wash hands after use. After each day's use, wash gloves, face shield and contaminated clothing.

First Aid Instructions:

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766. If swallowed, do NOT induce vomiting. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

First Aid Warnings:

DIRECTIONS FOR USE:**RATES OF APPLICATION:**

Situation	Rate per 100L	Critical Comments
Addition to herbicides to improve spreading and penetration. Glyphosate, 2,4-D, MCPA, Metsulfuron.	250 - 500mL	Use high rate on stressed or difficult to control weeds.
Reduction of pH to reduce alkaline hydrolysis. Dimethoate	100mL	Add to water in spray tank before adding Dimethoate.
To improve uptake of foliar fertilizers.	300 - 500mL	Tank mixing with other agricultural chemicals may increase the potential for crop damage – check with supplier.
Assistance in droplet size management to partially reduce the number of fine droplets produced from hydraulic nozzles by air and ground.	300 - 500mL	Helps to reduce the number of fine droplets. Conquest Catalyst 700 will reduce the fine droplets associated with, but not eliminate off-target movement. This is contingent upon good agricultural spraying practice and appropriate nozzle choice. Refer to Conquest representative for further advice and stewardship.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION