

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SUMI
Status®
240 EC Herbicide



ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT: 663 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached booklet.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USING THIS PRODUCT

CONTENTS: 10 L

SUMITOMO CHEMICAL AUSTRALIA PTY LTD, 242 Beecroft Road, EPPING NSW 2121. Tel: 02 8752 9000. A.B.N: 21 081 096 255
 © Status is the registered trademark of Sumitomo Chemical Co., Japan.



SUMITOMO CHEMICAL

19936555.01

File name	64778_49254_10L_FRONT_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

Front Panel	Required		Actual		Leading	Case
	mm	points	mm	points		
SIGNAL HEADING	19	74	19	74	Bold	Upper
SIGNAL SUB HEADING 1	7.6	30	7.6	30	Bold	Upper
SIGNAL SUB HEADING 2	7.6	30	7.6	30	Bold	Upper
DISTINGUISHING NAME			38	147		
ACTIVE CONSTITUENTS	1.5	6	3.2	13	Bold	Upper
SOLVENT	1.5	6	3.2	13	Bold	Upper
MODE OF ACTION - A	19	74	19	74	Bold	Upper
MODE OF ACTION - WORDS	9.5	35	9.5	35	Bold	Upper
STATEMENT OF CLAIMS	1.5	6	2.8	11	Normal	Upper/lower
CONTENTS	1.5	6	5	21	Bold	Upper
REGISTRANT	1.5	6	2	8	Normal	Upper/lower

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost. Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

APVMA Approval Number: 64778/10L/0310

Batch No:

Date of Manufacture:

OPEN HERE →

IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE **FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE**



19936655.01

File name	64778_49254_10L_PRIMARY_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

	Required		Actual		Leading Case	
	mm	points	mm	points		
Front Panel						
GENERAL HEADING	1.5	6	3.2	13	Bold	Upper
GENERAL TEXT	1.5	6	3.2	13	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	3.2	13	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	3.2	13	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	3.2	13	Normal	Upper/lower
FIRST AID	1.5	6	3.2	13	Normal	Upper/lower
MSDS	1.5	6	3.2	13	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	3.2	13	Normal	Upper/lower
APVMA APPROVAL NO.	1.5	6	3.2	13	Normal	Upper/lower
BATCH NO./DOM	1.5	6	3.2	13	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	3.2	13	Bold	Upper

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost. Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

APVMA Approval Number: 64778/10L/0310

<p>IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE</p>	<p>FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE</p>
---	---



19936655.01

File name	64778_49254_10L_IMMEDIATE_MPL_VO1.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	VO1, 0310

	Required		Actual		Leading	Case
	mm	points	mm	points		
Front Panel						
GENERAL HEADING	1.5	6	3.2	13	Bold	Upper
GENERAL TEXT	1.5	6	3.2	13	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	3.2	13	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	3.2	13	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	3.2	13	Normal	Upper/lower
FIRST AID	1.5	6	3.2	13	Normal	Upper/lower
MSDS	1.5	6	3.2	13	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	3.2	13	Normal	Upper/lower
APVMA APPROVAL NO.	1.5	6	3.2	13	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	3.2	13	Bold	Upper

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SUMI
Status®
240 EC Herbicide



ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT: 663 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached booklet.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USING THIS PRODUCT

CONTENTS: 20 L

SUMITOMO CHEMICAL AUSTRALIA PTY LTD, 242 Beecroft Road, EPPING NSW 2121. Tel: 02 8752 9000. A.B.N: 21 081 096 255

© Status is the registered trademark of Sumitomo Chemical Co., Japan.



SUMITOMO CHEMICAL

19937055.01

File name	64778_49254_20L_FRONT_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

Front Panel	Required		Actual		Leading	Case
	mm	points	mm	points		
SIGNAL HEADING	19	74	19	74	Bold	Upper
SIGNAL SUB HEADING 1	7.6	30	7.6	30	Bold	Upper
SIGNAL SUB HEADING 2	7.6	30	7.6	30	Bold	Upper
DISTINGUISHING NAME			38	147		
ACTIVE CONSTITUENTS	1.5	6	3.2	13	Bold	Upper
SOLVENT	1.5	6	3.2	13	Bold	Upper
MODE OF ACTION - A	19	74	19	74	Bold	Upper
MODE OF ACTION - WORDS	9.5	35	9.5	35	Bold	Upper
STATEMENT OF CLAIMS	1.5	6	2.8	11	Normal	Upper/lower
CONTENTS	1.5	6	5	21	Bold	Upper
REGISTRANT	1.5	6	2	8	Normal	Upper/lower

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost. Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

APVMA Approval Number: 64778/20L/0310

Batch No:

Date of Manufacture:

IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE
--	--



19937155.01

OPEN HERE →

File name	64778_49254_20L_PRIMARY_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

	Required		Actual		Leading Case	
	mm	points	mm	points		
Front Panel						
GENERAL HEADING	1.5	6	3.2	13	Bold	Upper
GENERAL TEXT	1.5	6	3.2	13	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	3.2	13	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	3.2	13	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	3.2	13	Normal	Upper/lower
FIRST AID	1.5	6	3.2	13	Normal	Upper/lower
MSDS	1.5	6	3.2	13	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	3.2	13	Normal	Upper/lower
APVMA APPROVAL NO.	1.5	6	3.2	13	Normal	Upper/lower
BATCH NO./DOM	1.5	6	3.2	13	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	3.2	13	Bold	Upper

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost. Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

APVMA Approval Number: 64778/20L/0310

IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE
--	--



19997155.01

File name	64778_49254_20L_IMMEDIATE_MPL_VO1.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	VO1, 0310

	Required		Actual		Leading	Case
	mm	points	mm	points		
Front Panel						
GENERAL HEADING	1.5	6	3.2	13	Bold	Upper
GENERAL TEXT	1.5	6	3.2	13	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	3.2	13	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	3.2	13	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	3.2	13	Normal	Upper/lower
FIRST AID	1.5	6	3.2	13	Normal	Upper/lower
MSDS	1.5	6	3.2	13	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	3.2	13	Normal	Upper/lower
APVMA APPROVAL NO.	1.5	6	3.2	13	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	3.2	13	Bold	Upper

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SUMI
Status®
240 EC Herbicide



ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT: 663 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached booklet.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USING THIS PRODUCT

CONTENTS: 60 L

SUMITOMO CHEMICAL AUSTRALIA PTY LTD, 242 Beecroft Road, EPPING NSW 2121. Tel: 02 8752 9000. A.B.N: 21 081 096 255

® Status is the registered trademark of Sumitomo Chemical Co., Japan.

 **SUMITOMO CHEMICAL**

19936855.01

File name	64778_49254_60L_FRONT_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

Front Panel	Required		Actual		Leading	Case
	mm	points	mm	points		
SIGNAL HEADING	19	74	19	74	Bold	Upper
SIGNAL SUB HEADING 1	7.6	30	7.6	30	Bold	Upper
SIGNAL SUB HEADING 2	7.6	30	7.6	30	Bold	Upper
DISTINGUISHING NAME			38	147		
ACTIVE CONSTITUENTS	1.5	6	3.2	13	Bold	Upper
SOLVENT	1.5	6	3.2	13	Bold	Upper
MODE OF ACTION - A	19	74	19	74	Bold	Upper
MODE OF ACTION - WORDS	9.5	35	9.5	35	Bold	Upper
STATEMENT OF CLAIMS	1.5	6	2.8	11	Normal	Upper/lower
CONTENTS	1.5	6	5	21	Bold	Upper
REGISTRANT	1.5	6	2	8	Normal	Upper/lower

OPEN HERE →

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost. Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

APVMA Approval Number: 64778/60L/0310

Batch No:

Date of Manufacture:

<p>IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE</p>	<p>FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE</p>
---	---



19936955.01

File name	64778_49254_60L_PRIMARY_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

Front Panel	Required		Actual		Leading	Case
	mm	points	mm	points		
GENERAL HEADING	1.5	6	3.2	13	Bold	Upper
GENERAL TEXT	1.5	6	3.2	13	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	3.2	13	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	3.2	13	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	3.2	13	Normal	Upper/lower
FIRST AID	1.5	6	3.2	13	Normal	Upper/lower
MSDS	1.5	6	3.2	13	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	3.2	13	Normal	Upper/lower
APVMA APPROVAL NO.	1.5	6	3.2	13	Normal	Upper/lower
BATCH NO./DOM	1.5	6	3.2	13	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	3.2	13	Bold	Upper

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost. Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

APVMA Approval Number: 64778/60L/0310

IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE
--	--

File name	64778_49254_60L_IMMEDIATE_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

Front Panel	Required		Actual		Leading	Case
	mm	points	mm	points		
GENERAL HEADING	1.5	6	3.2	13	Bold	Upper
GENERAL TEXT	1.5	6	3.2	13	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	3.2	13	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	3.2	13	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	3.2	13	Normal	Upper/lower
FIRST AID	1.5	6	3.2	13	Normal	Upper/lower
MSDS	1.5	6	3.2	13	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	3.2	13	Normal	Upper/lower
APVMA APPROVAL NO.	1.5	6	3.2	13	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	3.2	13	Bold	Upper

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SUMI
Status®
240 EC Herbicide



ACTIVE CONSTITUENT: 240 g/L CLETHODIM
SOLVENT: 663 g/L LIQUID HYDROCARBONS

GROUP A HERBICIDE

For the control of certain grass weeds in beetroot, cabbage, canola, celery, chickpeas, cotton, faba beans, field peas, forestry, lentils, lettuce, lupins, mung beans, non-bearing fruit trees, onions, ornamentals, peanuts, potatoes and soybeans as per the Directions for Use table in the attached booklet.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USING THIS PRODUCT
CONTENTS: 110 L

SUMITOMO CHEMICAL AUSTRALIA PTY LTD, 242 Beecroft Road, EPPING NSW 2121, Tel: 02 8752 9000, A.B.N. 21 081 096 255
 © Status is the registered trademark of Sumitomo Chemical Co., Japan.



SUMITOMO CHEMICAL

19937255.01

File name	64778_49254_110L_FRONT_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01_0310

	Required		Actual		Leading	Case
	mm	points	mm	points		
Front Panel						
SIGNAL HEADING	19	74	19	74	Bold	Upper
SIGNAL SUB HEADING 1	7.6	30	7.6	30	Bold	Upper
SIGNAL SUB HEADING 2	7.6	30	7.6	30	Bold	Upper
DISTINGUISHING NAME			38	147		
ACTIVE CONSTITUENTS	1.5	6	3.2	13	Bold	Upper
SOLVENT	1.5	6	3.2	13	Bold	Upper
MODE OF ACTION - A	19	74	19	74	Bold	Upper
MODE OF ACTION - WORDS	9.5	35	9.5	35	Bold	Upper
STATEMENT OF CLAIMS	1.5	6	2.8	11	Normal	Upper/lower
CONTENTS	1.5	6	5	21	Bold	Upper
REGISTRANT	1.5	6	2	8	Normal	Upper/lower

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost. Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

APVMA Approval Number: 64778/110L/0310

Batch No:

Date of Manufacture:

IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE **FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE**



19937355.01

OPEN HERE →

File name	64778_49254_110L_PRIMARY_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

Front Panel	Required		Actual		Leading	Case
	mm	points	mm	points		
GENERAL HEADING	1.5	6	3.2	13	Bold	Upper
GENERAL TEXT	1.5	6	3.2	13	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	3.2	13	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	3.2	13	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	3.2	13	Normal	Upper/lower
FIRST AID	1.5	6	3.2	13	Normal	Upper/lower
MSDS	1.5	6	3.2	13	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	3.2	13	Normal	Upper/lower
APVMA APPROVAL NO.	1.5	6	3.2	13	Normal	Upper/lower
BATCH NO./DOM	1.5	6	3.2	13	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	3.2	13	Bold	Upper

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost. Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

APVMA Approval Number: 64778/110L/0310

<p>IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE</p>	<p>FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE</p>
---	---

19997355.01

File name	64778_49254_110L_IMMEDIATE_MPL_V01.PDF
Dimensions	180mm x 200mm
Scale	100% A3
Date	V01, 0310

	Required		Actual		Leading	Case
	mm	points	mm	points		
Front Panel						
GENERAL HEADING	1.5	6	3.2	13	Bold	Upper
GENERAL TEXT	1.5	6	3.2	13	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	3.2	13	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	3.2	13	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	3.2	13	Normal	Upper/lower
FIRST AID	1.5	6	3.2	13	Normal	Upper/lower
MSDS	1.5	6	3.2	13	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	3.2	13	Normal	Upper/lower
APVMA APPROVAL NO.	1.5	6	3.2	13	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	3.2	13	Bold	Upper

DIRECTIONS FOR USE:

RESTRAINTS: DO NOT apply without the addition of an adjuvant.

DO NOT apply to plants that are stressed by moisture or temperature extremes.

DO NOT apply if rain is expected within one hour of application.

DO NOT apply SUMISTATUS 240 EC HERBICIDE more than once to any one crop.

CROP	CROP GROWTH STAGE	WEEDS CONTROLLED	RATE (mL/ha)	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Canola, Chickpeas, Fabo beans, Field peas, Lentils ¹ , Lupins ²	Canola: DO NOT APPLY after flower buds become visible (green buds)	Annual ryegrass (<i>Lolium rigidum</i>), Annual phalaris (<i>Phalaris minor</i>)	150 to 250	2-leaf to fully tillered	Old, NSW, ACT, Vic, Tas, SA, WA only	Always apply with D-C-Trate ³ at 2 L/100 L or Hasten ⁴ at 1 L/100 L or Kwickin ⁵ at 1L/100L or Uptake ⁶ at 500mL/100L spray volume. The lower doses will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. See COMPATIBILITY AND CAUTIONS IN GENERAL INSTRUCTIONS for mixture recommendations with insecticides, fungicides and other herbicides. ¹ Application up to 7- node/early-branching crop growth stage only. ² NOT Queensland
	Chickpeas: DO NOT APPLY beyond full flowering	Barley grass (<i>Hordeum leporinum</i>), Brome grass (<i>Bromus diandrus</i>), Wild oats (<i>Avena</i> spp.)	175 to 250			
	Fabo beans: DO NOT APPLY beyond full flowering	Volunteer wheat (<i>Triticum aestivum</i>), Volunteer oats (<i>Avena sativa</i>)	200* to 250 *(175 to 250 in WA only)			
	Field peas: DO NOT APPLY beyond full flowering	Volunteer barley (<i>Hordeum vulgare</i>)	250			
	Lentils: Apply up to the 7 node/early branching stage of crop growth	Silver grass (<i>Vulpia bromoides</i>) - suppression only	250 to 500			
Lupins: DO NOT APPLY after 80% of flowers have opened	Paradoxa grass (<i>Phalaris paradoxa</i>)	250 to 375	2- to 5-leaf stage	Old, NSW, ACT only		
			375	5-leaf to fully tillered		

CROP	CROP GROWTH STAGE	WEEDS CONTROLLED	RATE (mL/ha)	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Cotton (Old, NSW and NT only), Peanuts, Mung beans, Soybeans.	Cotton: DO NOT APPLY after full flowering (mid bloom).	Barnyard grass (<i>Echinochloa</i> spp.), Blown grass (<i>Agrostis aveaecea</i>), Crawfoot grass (<i>Eleusine indica</i>), Feathertop Rhodes grass (<i>Chloris virgata</i>), Liveseed grass (<i>Urochloa panicoides</i>), Red sprangletop grass (<i>Leptochloa filiformis</i>), Seedling Johnson grass (<i>Sorghum halepense</i>), Summer grass (<i>Digitaria</i> spp.), Volunteer sorghum (<i>Sorghum</i> spp.)	250 to 375	2- to 5-leaf stage	Old, NSW, ACT, Vic, WA, NT only	Always apply with D-C-Trate at 2 L/100 L or Hasten at 1 L/100 L or Kwickin at 1L/100L or Uptake at 500mL/100L spray volume. The lower doses will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. See COMPATIBILITY AND CAUTIONS IN GENERAL INSTRUCTIONS for mixture recommendations with insecticides, fungicides and other herbicides.
	Peanuts: DO NOT APPLY after the pod fill stage of crop development.		375			
	Mung beans: DO NOT APPLY after first flower buds are visible.					
	Soybeans: DO NOT APPLY after first flower buds are visible.					

CROP	WEEDS CONTROLLED	RATE (mL/ha)	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Beetroot, Cabbage, Celery, Lettuce, Potatoes, Onions	Barnyard grass (<i>Echinochloa</i> spp.), Blown grass (<i>Agrostis aveaecea</i>), Crawfoot grass (<i>Eleusine indica</i>), Feathertop Rhodes grass (<i>Chloris virgata</i>), Liveseed grass (<i>Urochloa panicoides</i>), Paradoxa grass (<i>Phalaris paradoxa</i>), Red sprangletop grass (<i>Leptochloa filiformis</i>), Seedling Johnson grass (<i>Sorghum halepense</i>), Summer grass (<i>Digitaria</i> spp.), Volunteer sorghum (<i>Sorghum</i> spp.)	250 to 375	2- to 5-leaf stage	All States	Always apply with D-C-Trate at 2 L/100 L or Hasten at 1 L/100 L or Kwickin at 1L/100L or Uptake at 500mL/100L spray volume. The lower doses will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. Use a spray volume of 150 L/ha when spraying dense grass populations.
		375	5-leaf to fully tillered		

CROP	WEEDS CONTROLLED	RATE (mL/ha)	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Beetroot, Cabbage, Celery, Lettuce, Potatoes, Onions	Annual ryegrass (<i>Lolium rigidum</i>), Annual phalaris (<i>Phalaris minor</i>)	150 to 250	2-leaf to fully tillered	All States	Always apply with D-C-Trate at 2 L/100 L or Hasten at 1 L/100 L or Kwickin at 1L/100L or Uptake at 500mL/100L spray volume. The lower doses will provide effective control if applied under ideal conditions to weeds that are smaller, actively growing and free from temperature or water stress. Use a spray volume of 150 L/ha when spraying dense grass populations.
	Barley grass (<i>Hordeum leporinum</i>), Brome grass (<i>Bromus diandrus</i>), Wild oats (<i>Avena</i> spp.)	175 to 250			
	Volunteer wheat (<i>Triticum aestivum</i>), Volunteer oats (<i>Avena sativa</i>)	200* to 500 *(175 to 500 in WA only)			
	Volunteer barley (<i>Hordeum vulgare</i>)	250			
	Silver grass (<i>Vulpia bromoides</i>) - suppression only (not Old, WA)	250 to 500			
Winter grass (<i>Poa annua</i>)	500				

CROP	WEEDS CONTROLLED	RATE (mL/ha)	STAGE OF WEED GROWTH	STATE	CRITICAL COMMENTS
Forestry, non-bearing fruit trees and ornamentals	Annual ryegrass (<i>Lolium rigidum</i>), Annual phalaris (<i>Phalaris minor</i>), Barley grass (<i>Hordeum leporinum</i>), Barnyard grass (<i>Echinochloa</i> spp.), Blown grass (<i>Agrostis aveaecea</i>), Brome grass (<i>Bromus diandrus</i>), Crawfoot grass (<i>Eleusine indica</i>), Feathertop Rhodes grass (<i>Chloris virgata</i>), Liveseed grass (<i>Urochloa panicoides</i>), Paradoxa grass (<i>Phalaris paradoxa</i>), Red sprangletop grass (<i>Leptochloa filiformis</i>), Seedling Johnson grass (<i>Sorghum halepense</i>), Silver grass (<i>Vulpia bromoides</i>) - suppression only (not Old, WA), Summer grass (<i>Digitaria</i> spp.), Volunteer sorghum (<i>Sorghum</i> spp.), Volunteer wheat (<i>Triticum aestivum</i>), Volunteer oats (<i>Avena sativa</i>), Volunteer barley (<i>Hordeum vulgare</i>), Winter grass (<i>Poa annua</i>).	500	2-leaf to fully tillered	All States	Apply after plants have recovered from transplant shock and are showing signs of active growth. Always apply with D-C-Trate at 2 L/100 L or Hasten at 1 L/100 L or Kwickin at 1L/100L or Uptake at 500mL/100L spray volume. Use a spray volume of 150 L/ha when spraying dense grass populations. DO NOT use on Gymnosperms (pines, conifers, etc) unless a prior test has been conducted to check safety on the relevant species. See COMPATIBILITY AND CAUTIONS IN GENERAL INSTRUCTIONS for particular species.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

HARVEST: CANOLA, CHICKPEAS, COTTON, FABO BEANS, FIELD PEAS, LENTILS, LUPINS, MUNG BEANS, PEANUTS, SOYBEANS: NOT REQUIRED WHEN USED AS DIRECTED.

FORESTRY: NOT REQUIRED WHEN USED AS DIRECTED.

BEEFROOT, CABBAGE: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.

ONIONS: DO NOT APPLY LATER THAN 14 DAYS BEFORE HARVEST.

LETTUCE, POTATOES: DO NOT APPLY LATER THAN 4 WEEKS BEFORE HARVEST.

CELERY: DO NOT APPLY LATER THAN 9 WEEKS BEFORE HARVEST.

GRAZING: CANOLA, CHICKPEAS, FABO BEANS, FIELD PEAS, LENTILS, LUPINS, MUNG BEANS, PEANUTS, SOYBEANS: DO NOT GRAZE OR CUT FOR STOCK FEED FOR 21 DAYS AFTER APPLICATION.

COTTON: DO NOT GRAZE OR CUT COTTON FORAGE OR STUBBLE FOR STOCK FEED.

GENERAL INSTRUCTIONS

RESISTANT WEEDS WARNING:



SUMISTATUS 240 EC HERBICIDE is a member of the cyclohexanedione group of herbicides. SUMISTATUS 240 EC HERBICIDE has the inhibition of acetyl coA carboxylase mode of action. For weed resistance management, SUMISTATUS 240 EC HERBICIDE is a Group A Herbicide. Some naturally-occurring weed biotypes resistant to SUMISTATUS 240 EC HERBICIDE and other Group A Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by SUMISTATUS 240 EC HERBICIDE or other Group A Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Sumitomo Chemical Australia Pty Ltd accepts no liability for any losses that may result from the failure of SUMISTATUS 240 EC HERBICIDE to control resistant weeds.

CLEANING SPRAY EQUIPMENT:

Before using SUMISTATUS, ensure that the recommended clean-out procedure for the previous product (particularly sulfamylurea herbicides) sprayed with the equipment was done properly. After using SUMISTATUS, empty the tank and drain the whole system. Thoroughly wash inside the tank using a pressure hose, drain the tank and clean all filters in the tank, pump line and nozzles. Use of a household detergent will aid in cleaning the equipment. Add detergent to the part-filled spray tank and thoroughly circulate through pumps, hoses and nozzles. Drain the system and thoroughly rinse twice with clean water.

Rinse water should be discharged onto a designated disposal area, or if this is unavailable, onto unused land away from desirable plants and water sources.

MIXING:

To ensure even mixing, half-fill the spray tank with clean water and add the required amount of product. Add spray additive and agitate thoroughly, then add the remainder of the water. Agitate again before spraying commences.

APPLICATION:

Ground Application: SUMISTATUS 240 EC HERBICIDE should be applied with calibrated spray equipment producing a median droplet range of 200 to 300 microns VMD. Apply in a minimum of 50 litres of water per hectare. Use 150 L/ha when spraying dense populations.

Aerial Application: SUMISTATUS 240 EC HERBICIDE can be applied through aircraft fitted with boom or Micronair equipment. A spray volume of 20 to 30 L/ha is recommended and equipment should be adjusted to deliver droplets in the range of 200 to 250 microns VMD. Best results will be obtained when aerial applications are made in a light crosswind. Applications should not be made during temperature inversions or in conditions of very low relative humidity. Care should be taken to avoid drift damage to adjoining grass crops.

COMPATIBILITY:

SUMISTATUS 240 EC HERBICIDE is compatible with the following grass herbicides: Targa⁷, Fusilade⁸, Verdict⁹, Sartin¹⁰ and Coract¹¹. (Refer to the Bayer Coract label for detail on adjuvant recommendations for that product).

NOTE: In all situations where SUMISTATUS 240 EC HERBICIDE is mixed with another grass herbicide, SUMISTATUS 240 EC HERBICIDE should be used at the full label rate specified for the target weed species. SUMISTATUS 240 EC HERBICIDE may also be applied in tank mixtures with one of the following products: Sumi-Alpha¹² 50 EC, Sumi-Alpha¹³ DuoL, Fostac¹⁴ 100 and Le-Mat¹⁵. SUMISTATUS 240 EC HERBICIDE should not be applied in a tank mix with Brodal¹⁶, Bezagran¹⁷ or Blazer¹⁸. Apply as separate applications. For information on compatibility of products not listed, please refer to Sumitomo Chemical Australia Pty Ltd.

CAUTION:

Ornamentals and Trees - While SUMISTATUS 240 EC HERBICIDE is generally selective to broadleaved plants (i.e. it is active against grasses), tests should always be made on a small number of plants not previously tested. Do NOT use on Gymnosperms (pines, conifers, etc) unless a prior test has been conducted to check safety on the relevant species.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS: Do NOT apply SUMISTATUS 240 EC HERBICIDE if wind is likely to cause drift onto susceptible crops/plants, cropping lands or pastures.

SUMISTATUS 240 EC HERBICIDE should not be applied through misting equipment or any other method likely to cause excessive drift. Care should be taken to avoid damage to adjoining native grasses or grass crops.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Protect from frost.

Triple, or preferably, pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Harmful if swallowed. Will irritate the eyes and skin. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet (MSDS) available from Sumitomo Chemical.

EXCLUSION OF LIABILITY:

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.


APVMA Approval Number: 64778/0310

* Registered Trademark.

IN A TRANSPORT EMERGENCY DIAL: 000 POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE: 1800 024 973 TOLL FREE - ALL HOURS - AUSTRALIA WIDE
--	--

LN 10012601

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Size 140mm wide x 480mm high

Size 140mm wide x 480mm high

File name	64778_49254_LEAFLET_MPL_V01.PDF
Dimensions	140mm x 480mm
Scale	63.5% A3
Date	V01, 0310

	Required		Actual		Leading	Case
	mm	points	mm	points		
Front Panel						
GENERAL HEADINGS	1.5	6	2	8	Bold	Upper
GENERAL TEXT	1.5	6	2	8	Normal	Upper/lower
DIRECTIONS FOR USE	1.5	6	2	8	Bold	Upper
RESTRAINTS	1.5	6	2	8	Normal	Upper/lower
NOT TO BE USED FOR	2	8	3	12	Bold	Upper
WITHHOLDING PERIODS	1.5	6	2	8	Normal	Upper/lower
GENERAL INSTRUCTIONS	1.5	6	2	8	Bold	Upper
RESISTANT WEEDS	1.5	6	2	8	Normal	Upper/lower
CLEANING SPRAY	1.5	6	2	8	Normal	Upper/lower
MIXING	1.5	6	2	8	Normal	Upper/lower
ADJUVANTS AND SPRAY	1.5	6	2	8	Normal	Upper/lower
APPLICATION	1.5	6	2	8	Normal	Upper/lower
USE OF	1.5	6	2	8	Normal	Upper/lower
CAUTION	1.5	6	2	8	Normal	Upper/lower
PROTECTION OF CROPS	1.5	6	2	8	Normal	Upper/lower
PROTECTION OF WILDLIFE	1.5	6	2	8	Normal	Upper/lower
STORAGE AND DISPOSAL	1.5	6	2	8	Normal	Upper/lower
SAFETY DIRECTIONS	1.5	6	2	8	Normal	Upper/lower
FIRST AID	1.5	6	2	8	Normal	Upper/lower
MSDS	1.5	6	2	8	Normal	Upper/lower
EXCLUSION OF LIABILITY	1.5	6	2	8	Normal	Upper/lower
EMERGENCY CONTACT	1.5	6	2	8	Bold	Upper
APVMA APPROVAL NO.	1.5	6	2	8	Normal	Upper/lower

	Required		Actual		Leading	Case
	mm	points	mm	points		
Front Panel						
SIGNAL HEADING	7	28	7	28	Bold	Upper
SIGNAL SUB HEADING 1	2.8	12	2.8	12	Bold	Upper
SIGNAL SUB HEADING 2	2.8	12	2.8	12	Bold	Upper
DISTINGUISHING NAME			14	54		
ACTIVE CONSTITUENTS	1.5	6	1.5	6	Bold	Upper
SOLVENT	1.5	6	1.5	6	Bold	Upper
MODE OF ACTION - A	7	28	7	28	Bold	Upper
MODE OF ACTION - WORDS	3.5	14	3.5	14	Bold	Upper
STATEMENT OF CLAIMS	1.5	6	1.5	6	Normal	Upper/lower
REGISTRANT	1.5	6	1.5	6	Normal	Upper/lower