

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**OzCrop**

# *Fluometuron 500 SC*

**HERBICIDE**

ACTIVE CONSTITUENT: 500 g/L FLUOMETURON  
SOLVENT: 50 g/L ETHYLENE GLYCOL

GROUP **C** HERBICIDE

*For control of many broadleaf weeds and  
annual grasses in cotton.*

**IMPORTANT:** READ THE ATTACHED LEAFLET BEFORE OPENING OR USING

**CONTENTS**

**10 Litres**



**OzCrop**

**OzCrop**

# Fluometuron 500 SC

**HERBICIDE**

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If refilling, replace cap and return to point of supply for refill or storage. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. If product gets on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

## FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

## MSDS

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FLUOMETURON 500 SC is available from CMS TRADE on request. Call Customer Service on (02) 9369 5724.

**CONDITIONS OF SALE:** The use of OzCrop FLUOMETURON 500 SC Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by CMS TRADE Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and CMS TRADE Pty. Ltd. accepts no responsibility for any consequence whatsoever from the use of this product.

**OzCrop**

**CMS Trade Pty. Ltd.**

ABN 35 086 927 157  
Suite 406, 3 Waverley Street,  
Bondi Junction NSW 2022

**TELEPHONE: 02 9369 5724**

**IN A TRANSPORT  
EMERGENCY  
DIAL 000  
POLICE OR FIRE  
BRIGADE**

**FOR SPECIALIST ADVICE  
IN AN EMERGENCY ONLY  
PHONE  
1800 033 111  
24 HOURS – AUSTRALIA WIDE**

Batch No.

Date of  
Manufacture



APVMA Approval No: XXXXX/10/0610  
EXECUTIVE PRESS 05/10 – 0418 263 830

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**OzCrop**

# *Fluometuron 500 SC*

**HERBICIDE**

ACTIVE CONSTITUENT: 500 g/L FLUOMETURON  
SOLVENT: 50 g/L ETHYLENE GLYCOL

GROUP **C** HERBICIDE

*For control of many broadleaf weeds and  
annual grasses in cotton.*

**IMPORTANT:** READ THE ATTACHED LEAFLET BEFORE OPENING OR USING

**CONTENTS**

**20 Litres**



**OzCrop**

**OzCrop**

# Fluometuron 500 SC

**HERBICIDE**

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If refilling, replace cap and return to point of supply for refill or storage. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. If product gets on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

## FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

## MSDS

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FLUOMETURON 500 SC is available from CMS TRADE on request. Call Customer Service on (02) 9369 5724.

**CONDITIONS OF SALE:** The use of OzCrop FLUOMETURON 500 SC Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by CMS TRADE Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and CMS TRADE Pty. Ltd. accepts no responsibility for any consequence whatsoever from the use of this product.

**OzCrop**

**CMS Trade Pty. Ltd.**

ABN 35 086 927 157  
Suite 406, 3 Waverley Street,  
Bondi Junction NSW 2022

**TELEPHONE: 02 9369 5724**

**IN A TRANSPORT  
EMERGENCY  
DIAL 000  
POLICE OR FIRE  
BRIGADE**

**FOR SPECIALIST ADVICE  
IN AN EMERGENCY ONLY  
PHONE  
1800 033 111  
24 HOURS – AUSTRALIA WIDE**

Batch No.

Date of  
Manufacture



APVMA Approval No: XXXXX/20/0610  
EXECUTIVE PRESS 05/10 – 0418 263 830

**DIRECTIONS FOR USE – For use in Cotton. NSW and Qld only**

**RESTRAINTS:** Severe plant injury may result if heavy rain occurs between sowing and emergence.  
DO NOT make more than one post-emergent application per season.

WEEDS CONTROLLED	METHOD OF APPLICATION	RATE PER Ha	CRITICAL COMMENTS
Barley Grass, Barnyard Grass, Bathurst Burr, Bellvine, Bladder Ketmia, Boggabri Weed, Capeweed, Common Sowthistle, Common Thornapple, Fat Hen, Liverseed Grass, Mossman River Grass, Nightshade, Noogoora Burr, Paddy Melon, Pigweed, Paterson's Curse, Prince-of-Wales Feather, Ryegrass, Sesbania Pea (Qld only), Summer Grass, Variegated Thistle, Winter Grass, Yellow Vine (Caltrop)	Soil incorporated pre-planting treatment	2.8 to 5.6 litres	Spray as an overall treatment. Pre-irrigate then apply just prior to incorporation (higher rates for heavy high organic soils, lower rates for lighter low organic soils). <b>Incorporation:</b> Lillistone cultivators are ideal for incorporation and should be utilised wherever available.
	At seeding	1.8 to 3.6 litres	Regardless of machinery used, it is essential that incorporation depth be closely governed and not allowed to exceed the depth of seed placement (approximately 5 cm). Scrape off the top of the hill at planting time. Apply a band immediately after planting, to replace FLUOMETURON 500 SC which has been scraped off into the furrow. Use the lower rate for lighter soils, the higher rate for heavier soils.
	Pre-emergence Post-sowing treatment	4.5 to 7.2 litres per sprayed hectare	Apply immediately after sowing as an overall or band treatment. Use higher rates for heavier organic soils, lower rates for lighter, low organic content soils. If band treatments are used band width should be a minimum 40 cm. Adjustment in application rate is necessary.
	Post-emergence		FLUOMETURON 500 SC may be applied as a post-emergent application to control broadleaf weeds which escaped the pre-emergent application or to control broadleaf weeds in situations where pre-emergent applications have not previously been made.
	Early Spraying	1.3 to 2.8 litres mixed in 220 to 440 litres of water	Apply as a directed spray when cotton is 15 cm high. The weeds should be actively growing and not be more than 5 cm high. Add a non-ionic surfactant.
	Lay-by spraying	2.8 to 5.6 litres mixed in 220 to 440 litres of water	Apply as a directed spray after the last cultivation. The weeds should be actively growing and not more than 8 cm high. Add a non-ionic surfactant.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THE LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHHOLDING PERIOD: DO NOT HARVEST FOR 7 WEEKS AFTER APPLICATION.**



**GENERAL INSTRUCTIONS**

FLUOMETURON 500 SC may be applied in several ways and growers should select the method most useful in their particular management programme.

**RESISTANT WEEDS WARNING**

OzCrop FLUOMETURON 500 SC Herbicide **GROUP C HERBICIDE** is a member of the urea group of herbicides and has the photosystem II photosynthesis inhibitor mode of action. For weed resistance management FLUOMETURON 500 SC is a Group C Herbicide. Some naturally-occurring weed biotypes resistant to FLUOMETURON 500 SC and other Group C herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by FLUOMETURON 500 SC or other Group C herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, CMS TRADE Pty. Ltd. accepts no liability for any losses that may result from the failure of FLUOMETURON 500 SC to control resistant weeds.

Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture or Primary Industries Department.

**MIXING**

Settling may occur after storage for some weeks. Stir product or invert container several times before opening. Pour the FLUOMETURON 500 SC into the spray vat through a strainer to remove any dry particles or flakes which can occasionally occur under hot storage conditions.

Add required quantity of FLUOMETURON 500 SC to the partly filled spray tank while agitating. Fill tank and agitate to ensure thorough mixing. Continue agitation while spraying. Agitate vigorously from the bottom if allowed to stand. Reseal part used container immediately.

**SAFETY DIRECTIONS**

May irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. If product gets on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

**MSDS**

Additional information is listed in the material safety data sheet (MSDS). A material safety data sheet for FLUOMETURON 500 SC is available from CMS TRADE on request. Call Customer Service on (02) 9369 5724.

**CONDITIONS OF SALE:** The use of OzCrop FLUOMETURON 500 SC Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by CMS TRADE Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and CMS TRADE Pty. Ltd. accepts no responsibility for any consequence whatsoever from the use of this product.

**APPLICATION**

FLUOMETURON 500 SC should be applied to bare soil before weeds emerge. In irrigated areas irrigation should precede or immediately follow spraying. The product should be applied in a minimum of 220 litres of water per hectare sprayed.

**PRECAUTION**

**Re-entry Period:** DO NOT enter treated areas until spray has dried.

**PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS**

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

Dangerous to fish. DO NOT contaminate rivers, streams or waterways with the chemical or used containers. Avoid use in channels and drains where roots of desirable plants may extend and in other situations where desirable trees grow close to treated areas.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If refilling, replace cap and return to point of supply for refill or storage. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**OzCrop**

**Fluometuron 500 SC**

**HERBICIDE**

**ACTIVE CONSTITUENT: 500 g/L FLUOMETURON  
SOLVENT: 50 g/L ETHYLENE GLYCOL**

**GROUP C HERBICIDE**

**For control of many broadleaf weeds and annual grasses in cotton.**

**IMPORTANT: THIS LEAFLET IS PART OF THE LABEL ATTACHED TO THE CONTAINER. READ THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT.**

**OzCrop**

CMS Trade Pty. Ltd. ABN 35 086 927 157  
Suite 406, 3 Waverley Street, Bondi Junction NSW 2022 T: 9369 5724

**OzCrop**

**CMS Trade Pty. Ltd.** ABN 35 086 927 157  
Suite 406, 3 Waverley Street, Bondi Junction NSW 2022

**TELEPHONE: 02 9369 5724**

APVMA Approval No.: XXXXX/0610