

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Starbunch

Banana Bags



Active constituent: 1 g/kg BIFENTHRIN

GROUP	3A	Insecticide
-------	----	-------------

**Assists in the control of rust thrips in bananas from fruit development to harvest
in conjunction with bell injection treatments as per the directions for use**

**CONTAINS 50 Bags of 1600mm length which are illegal to sell separately
[50 Bags of 1800mm length]**

DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

**CONTENTS: 1.47 kg (50 bags)
[1.72 kg]**

**FMC Australasia Pty Ltd
Unit 26, 8 Metroplex Ave, Murarrie, Qld 4172
Phone: 1800 066 355**

Starbunch Banana Bags

DIRECTIONS FOR USE

RESTRAINT: Do NOT use in banana growing regions outside of north Queensland (north of Ayr)

Crop	Pest	Rate	Critical Comments
Banana (North Queensland only)	Banana rust thrips (<i>Chaetanaphothrips signipennis</i>)	1 bag per bunch	Apply bag to bunch. Tie on after the flower bracts have fallen from the bunch, which is usually around 2 weeks after bell emergence. A registered bell injection treatment must be applied at the appropriate timing to minimise damage before the Starbunch Banana Bag is applied. Choose a product with a mode of action other than a group 3A Insecticide as a part of a best practice resistance management plan. Remove bags from bunch at harvest time and collect for provision back to FMC Australasia Pty Ltd.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS

HARVEST: NOT REQUIRED WHEN USED AS DIRECTED

GRAZING: NOT REQUIRED WHEN USED AS DIRECTED

GENERAL INSTRUCTIONS:

INSECTICIDE RESISTANCE WARNING

GROUP 3A INSECTICIDE

For insecticide resistance management Starbunch is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to Starbunch and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Starbunch or other Group 3A insecticides are used repeatedly. The effectiveness of Starbunch on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, FMC Australasia Pty Ltd accepts no liability for any losses that may result from the failure of Starbunch to control resistant insects.

PRECAUTIONS

Do not use to package or store food.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

Storage and Disposal

Store in closed original packaging, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight. Do not dispose of used bags on site. Remove used bags from bunch after harvest and collect for provision back to FMC Australasia Pty Ltd. If not recycling puncture bags and wrapping and bury in a local authority landfill or an approved industrial waste disposal site. If no landfill or approved disposal site is available, bury bags and wrapping below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt.

Protection of Wildlife, Fish, Crustacean and the Environment

Do not contaminate dams, rivers, streams, waterways or drains with product or the used container.

SAFETY DIRECTIONS

Avoid contact with eyes and skin.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

Material Safety Data Sheet

Additional information is listed in the Material Safety Data Sheet.

WARRANTY

FMC makes no warranty expressed or implied, concerning the use of this product other than that indicated on the label. Except as so warranted the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

BATCH NUMBER:

DATE OF MANUFACTURE:

APVMA Approval No: 65720/51688

FMC and Starbunch are Registered Trademarks of FMC Corporation,
Philadelphia, USA

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Starbunch

Banana Bags

Active constituent: 1 g/kg BIFENTHRIN

GROUP	3A	Insecticide
-------	----	-------------

Assists in the control of rust thrips in bananas from fruit development to harvest in conjunction with bell injection treatments as per the directions for use

**Not to be sold separately.
Before use read all directions on the outer pack.**

APVMA Approval No. 65720/51688

**29 g Net
[34 g Net]**

**FMC Australasia Pty Ltd
Unit 26, 8 Metroplex Ave, Murarrie, Qld 4172
Phone: 1800 066 355**