

**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**ACCENSI CHLORPYRIFOS-METHYL 500 /  
S-METHOPRENE 30 IGR GRAIN PROTECTOR**

ACTIVE CONSTITUENT: 500g/L CHLORPYRIFOS-METHYL (an anticholinesterase compound)  
30g/L S-METHOPRENE  
SOLVENT: 465g/L HYDROCARBON LIQUID

GROUP	1B	INSECTICIDE
-------	----	-------------

GROUP	7A	INSECTICIDE
-------	----	-------------

For the control of insect pests in stored cereal grains (except for malting barley and rice) as specified in the Directions for Use.

**IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE**

Contents: \*\*

Accensi Pty Ltd  
ABN: 94 079 875 184  
60-76 Potassium Street  
NARANGBA QLD 4504  
Ph: (07) 3897 2000

\*\* This label to be used for 1L – 20L pack size range.

**SMALL SPILL MANAGEMENT**

Wear protective equipment (see SAFETY DIRECTIONS). Apply absorbent material such as earth, clay granules, and or cat litter to the spill. Sweep up the material for disposal when absorption is completed and contain in a refuse vessel for disposal in the same manner as for containers (see STORAGE AND DISPOSAL section). If spilled inside a building, wash contaminated surfaces to deactivate the chlorpyrifos-methyl with a solution of bleach (sodium hypochlorite) prepared according to the bleach label instructions for normal cleaning purposes.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

**For refillable containers:** Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

**SAFETY DIRECTIONS**

Product is poisonous if absorbed by skin contact or swallowed. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and faceshield or goggles.

If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone eg Australia 131126.) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

**Material Safety Data Sheet**

Additional information is listed in the Material Safety Data Sheet.

**CONDITIONS OF SALE**

The use of ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector being beyond the control of the manufacturer no warranty expressed or implied is given by ACCENSI PTY LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and ACCENSI PTY LTD accepts no responsibility for any consequence whatsoever resulting from the use of this product

APVMA Approval No: 66611/59824

Batch No.

D.O.M.:

Drum Muster Logo

Bar Code

**POISON**

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**ACCENSI CHLORPYRIFOS-METHYL 500 /  
S-METHOPRENE 30 IGR GRAIN PROTECTOR**

ACTIVE CONSTITUENT: 500g/L CHLORPYRIFOS-METHYL (an anticholinesterase compound)  
30g/L S-METHOPRENE  
SOLVENT: 465g/L HYDROCARBON LIQUID

GROUP	1B	INSECTICIDE
-------	----	-------------

GROUP	7A	INSECTICIDE
-------	----	-------------

For the control of insect pests in stored cereal grains (except for malting barley and rice) as specified  
in the Directions for Use.

**IMPORTANT: READ THIS LEAFLET BEFORE USE**

Accensi Pty Ltd  
ABN: 94 079 875 184  
60-76 Potassium Street  
NARANGBA QLD 4504  
Ph: (07) 3897 2000

APVMA Approval no: 66611/59824

**DIRECTIONS FOR USE**

**In W.A. only – for use by Bulk Handling Authorities only.**

**DO NOT use on stored maize destined for export.**

<b>SITUATION</b>	<b>INSECT</b>	<b>RATE</b>	<b>CRITICAL COMMENTS</b>
Stored cereal grains (except malting barley & rice)	Lesser grain borer, Rice weevil, Granary weevil, Rust-red flour beetle, Confused flour beetle, Saw-toothed grain beetle, Tropical Warehouse moth & Maize weevil	<b>For 3-9 months protection:</b> 2 L/100L water	Apply 1L of diluted spray per tonne of grain. Apply through standard grain spraying machinery. The output of spray through the nozzle must be regulated according to the flow of the grain.
Surface of buildings, bins and machinery used for grain storage (except for malting barley & rice storage)	Warehouse beetle, Rice weevil, Granary weevil, Rust-red flour beetle, Saw-toothed grain beetle, Tropical warehouse moth, Lesser grain borer (susceptible strains) Maize weevil	20 mL/1 L water	Spray infested areas to point of run-off. 5 L of diluted spray will treat approximately 100 m <sup>2</sup> . Repeat application at 6 week intervals when required.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.**



## GENERAL INSTRUCTIONS

### INSECTICIDE RESISTANCE WARNING

GROUP	1B	INSECTICIDE
-------	----	-------------

GROUP	7A	INSECTICIDE
-------	----	-------------

For insecticide resistance management, ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector, is both a Group 1B and Group 7A Insecticide.

Some naturally occurring insect biotypes resistant to ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector and other Group 1B and 7A Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector or other Group 1B and 7A insecticides are used repeatedly. The effectiveness of ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Accensi Pty Ltd accepts no liability for any losses that may result from the failure of ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector to control resistant insects.

### MIXING

Slowly add the required amount of ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector to the water in the tank. Use clean water only. The special formulation ensures rapid mixing.

### APPLICATION ON STORED CEREAL GRAIN

Uniform application through the grain is essential for maximum efficacy. It is essential to ensure that the grain is free from infestation and of sufficiently low moisture content at intake i.e. less than 12% moisture and a storage temperature below 27°C.

### EXPORT OF TREATED PRODUCE

Users should note that suitable MRL's or import tolerances may not have been established in all markets for product treated with ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector. Before treating grain for export, please check with Accensi Pty Ltd for the latest information on MRL's and import tolerances.

### PRECAUTION

DO NOT contaminate food, feed or domestic water supplies.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Dangerous to fish and other aquatic organisms.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

### SMALL SPILL MANAGEMENT

Wear protective equipment (see SAFETY DIRECTIONS). Apply absorbent material such as earth, clay granules, and or cat litter to the spill. Sweep up the material for disposal when absorption is completed and contain in a refuse vessel for disposal in the same manner as for containers (see STORAGE AND DISPOSAL section). If spilled inside a building, wash contaminated surfaces to deactivate the chlorpyrifos-methyl with a solution of bleach (sodium hypochlorite) prepared according to the bleach label instructions for normal cleaning purposes.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

**SAFETY DIRECTIONS**

Product is poisonous if absorbed by skin contact or swallowed. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and faceshield or goggles.

If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone eg Australia 131126.) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

**Material Safety Data Sheet**

Additional information is listed in the Material Safety Data Sheet.

**CONDITIONS OF SALE**

The use of ACCENSI Chlorpyrifos-Methyl 500 / S-Methoprene 30 IGR Grain Protector being beyond the control of the manufacturer no warranty expressed or implied is given by ACCENSI PTY LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and ACCENSI PTY LTD accepts no responsibility for any consequence whatsoever resulting from the use of this product