

Product Name: APVMA Approval No:

CONCENTRATE TOUGH ROUNDUP WEEDKILLER 66673 / 135286

Label Name:	ROUNDUP T CONCENTRATE WEEDKILLER
Signal Headings:	POISON
	KEEP OUT OF REACH OF CHILDREN
	READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Constituent ACTIVE CONSTITUENTS: Statements: 143 g/L GLYPHOSATE PRESENT AS THE ISOPROPYLAMINE SALT 15.1 g/L TRICLOPYR AS THE TRIETHYLAMINE SALT	
---	--

Statement of Claims:	Kills the toughest weeds & grasses roots & all! TOUGH Kills and controls Onion Weed, Asparagus Fern, Blackberry and more Rainproof after 2 hours
----------------------	---

Net Contents:	280 ml to 1 L
---------------	---------------

Restraints:	DO NOT treat if rain is likely within 2 hours. DO NOT disturb weeds for 7 days after treatment.
-------------	--

How to Use:	This section contains file attachment.

Withholding Periods:	ds:					
----------------------	-----	--	--	--	--	--

How to Prepare:	HOW TO PREPARE: Mix this product with clean water. Use only plastic lined brass, copper, fiberglass, aluminium, plastic or stainless steel containers for mixing and application. DO NOT mix more than can be used within 5 days. Wash out spray equipment thoroughly after use.
-----------------	--

Precautions:	CAUTION: DO NOT allow pets and children to enter the treated area until the spray has dried. DO NOT allow spray to contact or drift onto plants (including turf grass) you do not want killed. If sprayed, cut off leaves or wash with water immediately to avoid injury. DO
	want kined. It sprayed, cut on leaves of wash with water infinediately to avoid injury. DO

NOT allow chemical containers or excess spray to get into drains, sewers, streams or ponds. DO NOT spray directly onto humans, pets, exposed food, food preparation areas or food utensils.

Protections:		
--------------	--	--

Safety Directions:	SAFETY DIRECTIONS: May irritate the eyes. Avoid contact with eyes. If product in eyes, wash it out immediately with water. Wash hands after use.
--------------------	--

First Aid Instructions:FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. If in eyes, hold eyes open, flood with w for at least 15 minutes and see a doctor.

First Aid Warnings:						
---------------------	--	--	--	--	--	--

How to Use

Table 1: Use table

WEEDS CONTROLLED	RATE	HOW TO APPLY
Many tough, woody weeds and	25mL per 1L water	Apply when weeds are actively
grasses, including: Annual		growing. Do not spray plants
Ryegrass, Asthma Weed, Bridal		bearing edible berries. Uniform
Creeper, Burr Medic, Barley		and complete spray to wet all
Grass, Capeweed, Clover,		leaves. Run off should not
Marshmallow, Paterson's		occur. 1 Litre spray will cover
Curse, Onion Weed and Oats.		10 square metres. Weeds may
		be removed &/or planting may
Harder to kill weeds including:	40mL per 1L water	occur 7 days after treatment.
Blackberries, Asparagus Fern,		Perennial weeds may need a
Coolatai Grass, English Ivy,		repeat treatment.
Lantana and Wandering Trad		

Table 2: Use table for auto-dose bottles

[For auto-dose bottles:]

- 1. Pull out the strip before 1_{st} use
- 2. Deactivate child safety lock
- 3. Dose (1 click = 20 ml)
- 4. Tap firmly to close

WEEDS CONTROLLED	RATE	HOW TO APPLY
Many tough, woody weeds and	20mL (or 1 click) per 0.8L water	Apply when weeds are actively
grasses, including: Annual		growing. Do not spray plants
Ryegrass, Asthma Weed, Bridal		bearing edible berries. Uniform
Creeper, Burr Medic, Barley		and complete spray to wet all
Grass, Capeweed, Clover,		leaves. Run off should not
Marshmallow, Paterson's		occur. 1 Litre spray will cover
Curse, Onion Weed and Oats.		10 square metres. Weeds may
		be removed &/or planting may
Harder to kill weeds including:	40mL (or 2 clicks) per 1L water	occur 7 days after treatment.
Blackberries, Asparagus Fern,		Perennial weeds may need a
Coolatai Grass, English Ivy,		repeat treatment.
Lantana and Wandering Trad		

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED