

TEMPLATE FOR RELEVANT LABEL PARTICULARS (RLPs) (Veterinary Products)

Select appropriate:

☐ New Product (include all applicable RLPs) OR

☑ Variation (highlight instructions that are being varied). Approval no. of label being varied: 67540/56328

Signal heading:	R	EAD SAFETY DIR FOR A	ECTIONS BEI			SING	
Product name:	PROG	UARD™ SPR <i>A</i>	Y-ON SHE	EP BLOW	/FLY TRE	ATMENT	
Active constituent/s:		ACTIVE CO	NSTITUENT: 6	0 g/L CYR	OMAZINE		
Statement of claims:	When applied for 11 weeks	d as directed will p	rotect long wo	ol sheep ag	ainst fly strik	е	
Net contents:			20[25] LIT	RES			
Directions for Use Heading:	READ DIRECTIONS	CTIONS FOR USE S FOR USE	BEFORE US	ING THIS F	PRODUCT		
Restraints:	milk tha	DO NOT USE on sheep, which are producing or may in the future produce milk that may be used or processed for human consumption.					
Contraindicatio ns:	Should not l	Contraindications: Should not be used on open wounds e.g.: those resulting from marking or mulesing operations.					
Precautions:							
Side effects:							
Dosage & administration:		Dosage and Administration SHAKE WELL BEFORE USE					
	DO NOT DILUTE. Apply directly from the container using a suitable applicator gun. Except for small lambs under 15 kg, the dose volume is determine d by the number of	TOTAL VOLUME/SHE EP (mL)	VOLUME PER TREATME NT BAND (mL)	NUMBE R OF BANDS	NUMBER OF SHEEP TREATE D PER 20L[25L]	CRITICAL COMMENT S	

months since shearing. Apply ProGuard Spray-On according to the diagram and tables in the Directions for Use. MONTHS SINCE SHEARIN G					
FOR THE P	REVENTION OF	BODY STRIKE	<u> </u>		1. Use only
					a Landmar k recomme
up to 6	34	17	2	588[735]	nded Spray- On applicato r gun 2. Ensure
7	38	19	2	524[657]	the applicato r gun is clean. 3. Calibrate
8	44	22	2	452[568]	applicato r gun using an accurate volume measure. 4. Ensure
9	50	25	2	400[500]	all areas to be protecte d are treated. 5. When preventin g body
10	56	28	2	356[446]	strike ensure bands overlap along the midline – see

Lambs less than 15 kg	17 PREVENTION OF	17 BODY & CRU	1 ICH STRIK	1176[147 0]	diagram. 6. This product is not ideal for treating existing strikes. Treated larvae may take
up to 6	51	17	3	392[490]	3-4 days to die. 7. Should not be mixed with any other product. 8. Should
7	57	19	3	348[439]	not be applied during gusty or windy weather as spray drift will
8	66	22	3	300[378]	reduce the period of protectio n. 9. Heavy
9	75	25	3	264[333]	rain following applicati on of this product could
10	84	28	3	236[297]	diminish the period of

Lambs less than 15 kg Lambs less than 17 kg Lambs less than 18 kg		1 1		T	ī	I		
General directions: General Directions NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. ProGuard Spray-On may be applied to all breeds of sheep, providing protection against fly strike. ProGuard Spray-On is applied as a low-volume treatment onto or near the area where protection is required. When applying, the nozzle of the applicator gun should be approximately 25 cm above the fleece, to achieve a 15cm wide band at each pass. Withholding Period/s: WITHHOLDING PERIODS: MEAT: DO NOT USE less than 7 days before slaughter for human consumption. MILK: DO NOT USE on sheep which are producing or may in the future produce milk that may be used or processed for human consumption. WOOL HARVEST INTERVAL: DO NOT USE less than 2 months before shearing or fibre collection. Trade Advice: EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 28 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from Landmark on 1300 255 347 or the APVMA website (www.apvma.gov.au/residues). Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers. Safety Directions: Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.		FOR THE F Rams and s of ProGuard	PREVENTION OF sheep susceptible	POLL STRIKE to poll strike sh	ould be tre	ated. Apply a	10.ProGuar d Spray- On is coloured for band identifica tion. This scourabl e dye will disappea r shortly after treatmen t	
against fly strike. ProGuard Spray-On is applied as a low-volume treatment onto or near the area where protection is required. When applying, the nozzle of the applicator gun should be approximately 25 cm above the fleece, to achieve a 15cm wide band at each pass. Withholding Period/s: WITHHOLDING PERIODS: MEAT: DO NOT USE less than 7 days before slaughter for human consumption. MILK: DO NOT USE on sheep which are producing or may in the future produce milk that may be used or processed for human consumption. WOOL HARVEST INTERVAL: DO NOT USE less than 2 months before shearing or fibre collection. Trade Advice: TRADE ADVICE EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 28 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from Landmark on 1300 255 347 or the APVMA website (www.apvma.gov.au/residues). Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers. Safety Directions: SAFETY DIRECTIONS Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.		General Directions NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO						
MEAT: DO NOT USE less than 7 days before slaughter for human consumption. MILK: DO NOT USE on sheep which are producing or may in the future produce milk that may be used or processed for human consumption. WOOL HARVEST INTERVAL: DO NOT USE less than 2 months before shearing or fibre collection. Trade Advice: TRADE ADVICE EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 28 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from Landmark on 1300 255 347 or the APVMA website (www.apvma.gov.au/residues). Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers. Safety Directions: Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.		against fly strike. ProGuard Spray-On is applied as a low-volume treatment onto or near the area where protection is required. When applying, the nozzle of the applicator gun should be approximately 25 cm above the fleece, to achieve a						
EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 28 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from Landmark on 1300 255 347 or the APVMA website (www.apvma.gov.au/residues). Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers. Safety Directions: SAFETY DIRECTIONS Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.		MEAT: DO NOT USE less than 7 days before slaughter for human consumption. MILK: DO NOT USE on sheep which are producing or may in the future produce milk that may be used or processed for human consumption. WOOL HARVEST INTERVAL: DO NOT USE less than 2 months before shearing						
slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from Landmark on 1300 255 347 or the APVMA website (www.apvma.gov.au/residues). Use of this product may result in wool residues that may not comply with European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers. Safety Directions: SAFETY DIRECTIONS Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.	Trade Advice:	TRADE ADVICE						
European Union environmental quality standards. Wool treated with this product may contain detectable residues; adequate treatment records should be kept and made available, if requested by wool buyers. Safety Directions: Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.		slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from Landmark on						
treatment records should be kept and made available, if requested by wool buyers. Safety Directions: Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.								
Directions: Will irritate the eyes and skin. Avoid contact with eyes and skin. When using the product wear rubber gloves. Wash hands after use.		treatment records should be kept and made available, if requested by wool						
First Aid: FIRST AID	,	Will irritate t	he eyes and skin		-		When using	
	First Aid:	FIRST AID						

	If poisoning occurs, contact a doctor or Poisons Information Centre. <i>Phone Australia</i> 131 126.						
Additional user	ADDITIONAL USER SAFETY INFORMATION						
safety:	Additional information is listed in the Material Safety Data Sheet.						
	Sheep Rehandling Interval: After treatment wait until sheep are dry before rehandling.						
Environmental statements:	PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT DO NOT contaminate dams, rivers or streams with the product or used containers.						
Disposal:	DISPOSAL This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple or pressure rinse container for disposal. Dispose of rinsate or any undiluted chemical according to State legislative requirements. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced but may be taken separately.						
Storage:	STORAGE Store below 30°C (Room Temperature). Store in original container tightly closed in a dry, cool place. Do not store in direct sunlight. Do not re-use the container. Keep out of reach of children.						
Name & address:	Landmark Operations Limited 24-26 Hydrive Close DANDENONG VIC 3175 Customer Service 1300 255 347						

The following is for APVMA use only:

APVMA approval no. APVMA No: 67540/0614	
---	--