

Product Name: AgriSilicone Surfactant
APVMA Approval No: 68472/143741



Label Name:	AgriSilicone Surfactant
Signal Headings:	KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	1020 g/L POLYETHER MODIFIED POLYSILOXANE
Mode of Action:	
Statement of Claims:	A Non-Ionic Wetter-Spreader-Penetrant for Use as a Spray Additive for Improved Coverage, Penetration and Uptake of Herbicides, Fungicides, Insecticides, Miticides and Foliar Micro-Nutrients as per the Directions for Use.
Net Contents:	500 mL to 1000 L
Restraints:	
Directions for Use:	Please refer to attachment.
Other Limitations:	
Withholding Periods:	
Trade Advice:	

General Instructions:	<p>GENERAL INSTRUCTIONS</p> <p>AgriSilicone Surfactant is a highly penetrating surfactant suitable for use with glyphosate herbicides, certain brush control herbicides, fungicides, insecticides, miticides and foliar micro-nutrients. It improves the efficiency by enhancing the penetration and uptake into certain hard to control woody weeds such as bracken, gorse and perennial ryegrass. AgriSilicone Surfactant is not a general purpose surfactant and should only be used where addition of a silicone surfactant is recommended.</p> <p>MIXING</p> <p>Add AgriSilicone Surfactant to spray tank after the agricultural chemical is thoroughly mixed.</p>
-----------------------	---

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	<p>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</p> <p>DO NOT contaminate streams, rivers or watercourses with this product or the used containers.</p>
--------------	---

Storage and Disposal:	<p>Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank or knapsack mix. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.</p>
-----------------------	--

Safety Directions:	Avoid contact with eyes and skin. Wear overalls, rubber gloves, goggles or face shield.
--------------------	---

First Aid Instructions:	<p>If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766. If skin contact occurs remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.</p>
-------------------------	--

First Aid Warnings:	
---------------------	--

DIRECTIONS FOR USE

Situation	Application Method	Rate /100 L spray mixture	Critical Comments
Use with Fungicides	See pesticide label	30-60 mL	The rates of Agritrading Organosilicone Surfactant are given as a guide only. Always refer to the pesticide label for the rates of organosilicone penetrant. Do not use unless the manufacturer of companion pesticides specifically recommends surfactant use.
Use with Insecticides and Miticides		30-60 mL	
Use with Fungicides and Foliar Micro-Nutrients		30-60 mL	
Use with glyphosate herbicides			
Bracken, Broom, Sweet Briar	Boom or Aerial Spray	200 mL	To enhance control of these weeds, add to recommended rates of glyphosate, both liquid and dry forms. Use in accordance with herbicide label directions.
Perennial Ryegrass		100 mL	
Bracken, Broom, Gorse	Handgun	200 mL	
Perennial Ryegrass		100 mL	
Bracken, Broom, Sweet Briar	Knapsack	20 mL/10 L	Rainfree Period The addition of Agritrading Organosilicone Surfactant will increase the rate of uptake for some herbicides and may reduce the rainfree period down to 30-60 minutes when sprayed on dry foliage. The rainfree period will not be reduced when treating wet plants.
Use with other Brush control herbicides			
	Broadacre spraying	100 mL	Follow directions on the herbicide label and use Agritrading Organosilicone Surfactant only when an organosilicone surfactant is recommended.
	Knapsack	10 mL/10 L	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**