Product Name:

NUFARM COLLIDE 700 ADJUVANT

APVMA Approval No: 703

70329/137064v



Label Name:	Nufarm Collide 700 Adjuvant
Signal Headings:	CAUTION
	KEEP OUT OF REACH OF CHILDREN
	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent	ACTIVE CONSTITUENTS: 350 g/L SOYAL PHOSPHOLIPIDS
Statements:	350 g/L PROPIONIC ACID
Mode of Action:	
Statement of Claims:	Acidifying and Penetrating Surfactant
	Reduces Alkaline Hydrolysis of Dimethoate
	Assists with Uptake of Foliar Fertilizers Assists in Management of Spray Droplet Size
	, issued in management of Spray Eropict Size
Net Contents:	1L - 1000L
Restraints:	RESTRAINTS: DO NOT use with copper products.
Directions for Use:	This section contains file attachment
Directions for Use:	This section contains file attachment.
Other Limitations:	
Withholding Periods:	
Trade Advice:	

General Instructions:

GENERAL INSTRUCTIONS

Nufarm Collide 700 can be used where the addition of a wetter/spreader or self emulsifying oil is required or recommended on the agricultural chemical label.

Penetration and Wetter

Nufarm Collide 700 is a multipurpose adjuvant which is composed of natural surfactants and penetrants derived from soyabean oils. These are combined with propionic acid to produce a penetrant, surfactant, acidifier for use with herbicides, insecticides, fungicides, foliar fertilizers and plant growth regulators. The unique properties of Nufarm Collide 700 enhance the uptake of many systemic herbicides, allowing them to effectively penetrate into leaves, without causing damage to non-target crop plants.

Acidification

Nufarm Collide 700 also acts as an acidifier which will reduce pH, in most cases to between 4 and 5. This reduces losses due to alkaline hydrolysis and also assists with the uptake of weak acid herbicides.

Droplet size management

Nufarm Collide 700 will reduce the number of fine droplets (<150 micron) produced by flat fan nozzles, without increasing the number of large spray droplets (>400 micron). Nufarm Collide 700 will reduce the fine droplets associated with, but not eliminate, off-target movement of the pesticide being used. This is contingent upon good agricultural spraying practice and appropriate nozzle choice. DO NOT use in situations that are conducive to drift. Refer to Nufarm representative for further advice and stewardship.

Mixing

Half fill the spray tank with water and commence agitation. Add the required quantity of Nufarm Collide 700 then add the recommended quantity of herbicide, insecticide or foliar fertilizer. Continue agitation while topping up the tank and during spraying. DO NOT use with copper products.

Resistance Warning:	
Precautions:	
Protections:	PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT DANGEROUS TO FISH. DO NOT contaminate streams, rivers or waterways with the chemical or used container.

Storage and Disposal:

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Non-Refillable containers

Triple-rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

110L Containers

Store the original sealed container in a dry, well ventilated area, out of direct sunlight. DO NOT store below 5°C. Extended storage below 5°C can result in the formation of crystals

on the bottom of the container. If crystallisation does occur, store the container on its side at room temperature and rock occasionally until crystals re-dissolve. Ensure any crystals are dissolved before adding to the spray tank. DO NOT tamper with the Micro Matic valve or the security seal. DO NOT contaminate the container with water or any other foreign matter. After each use of the product, please ensure that the Micro Matic coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the container have been used, please return the empty container to the point of purchase. The container remains the property of Nufarm Australia Limited. Returnable containers

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage

Safety Directions:

SAFETY DIRECTIONS

Will damage eyes. Will irritate the skin. Avoid contact with eyes and skin. When using together with other products, consult their label safety directions. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbowlength chemical resistant gloves and face shield. Wash hands after use. After each day's use, wash gloves, face shield and contaminated clothing.

First Aid Instructions:

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. If swallowed, do NOT induce vomiting. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

First Aid War	uinas.

Nufarm Collide 700 Adjuvant

DIRECTIONS FOR USE

RATES OF APPLICATION

SITUATION	RATE	CRITICAL COMMENTS
Addition to herbicides to improve spreading and penetration.	250 - 500 mL/100L	Use high rate on stressed or difficult to control weeds.
Glyphosate, 2,4-D, MCPA, Metsulfuron methyl		
Reduction of pH to reduce alkaline hydrolysis. Dimethoate	100 mL/100L	Add to water in spray tank before adding Dimethoate.
To improve uptake of foliar fertilizers.	300 - 500 mL/100L	Tank mixing with other agricultural chemicals may increase the potential for crop damage –
		check with supplier.
Assistance in droplet size management to partially reduce the number of fine droplets produced from hydraulic nozzles by air and ground.	300 – 500 mL/100L	Helps to reduce the number of fine droplets. Nufarm Collide 700 will reduce the fine droplets associated with, but not eliminate off-target movement. This is contingent upon good agricultural spraying practice and appropriate nozzle choice. Refer to Nufarm representative for further advice and stewardship.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION