Product Name: APVMA Approval No: Sprayseal Pruning Wound Treatment 80160/123733



Label Name:	Sprayseal Pruning Wound Treatment
Signal Headings:	CAUTION
	KEEP OUT OF REACH OF CHILDREN
	READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Constituent	430 g/L TEBUCONAZOLE
Statements:	

ode of Action:		
	GROUP 3	FUNGICIDE

Statement of Claims:	For the control of Eutypa dieback & Botryosphaeria dieback of grapevines
----------------------	--

Net Contents:	500mL-50L

Directions for Use:	This section contains file attachment.

Other Limitations:

Withholding Periods:	WITHHOLDING PERIOD - NOT REQUIRED WHEN USED AS DIRECTED
----------------------	---

Trade Advice:	
General Instructions:	Mixing

Prior to pouring, shake container vigorously, then add the required quantity of SpraySeal to water in the spray vat while stirring or with agitators in motion.

be controlled by this product and other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Omnia Specialities Australia Pty Ltd accepts no liability for any losses that result from failure of this product to control resistant fungi.
--

Precautions:	RE-ENTRY PERIOD DO NOT allow entry into treated areas until the spray has dried.
--------------	---

Protections:	PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
	DO NOT contaminate ponds, waterways and drains with this product or used container.

Storage and Disposal:STORAGE AND DISPOSAL Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.		
	•	Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn

Safety Directions:	SAFETY DIRECTIONS Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.
--------------------	---

First Aid Instructions:	FIRST AID If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.
-------------------------	--

First Aid Warnings:		
---------------------	--	--

DIRECTIONS FOR USE

CROP	DISEASE	RATE	CRITICAL COMMENTS
Grapevines	<i>Eutypa</i> dieback <i>Botryosphaeria</i> dieback	Mix 30 mL of SpraySeal per 100 litres of water	Shake or stir container well before use. Spray grapevines to runoff. Apply only during the dormant winter period on fresh pruning wounds within six days of when the pruning cut is made. Only one spray per season is sufficient.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION