



Product Name: EXELPET VET SERIES MONTHLY FLEA, INTESTINAL & HEARTWORM TREATMENT FOR KITTENS & SMALL CATS UP TO 4 KG

APVMA Approval No: 80440/108387

Label Name:	exelpet Vet Series Monthly Flea, Intestinal & Heartworm Treatment FOR KITTENS & SMALL CATS up to 4kg
-------------	--

Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS
------------------	---

Constituent Statements:	100 g/L IMIDACLOPRID 10 g/L MOXIDECTIN
-------------------------	---

Claims:	<p>Once a month topical flea and worm treatment</p> <p>Stops fleas feeding in 3-5 minutes</p> <p>Prevents heartworm and controls intestinal worms and larvae</p> <p>For:</p> <ul style="list-style-type: none"><li>• the treatment and prevention of fleas (<i>Ctenocephalides</i> spp) on kittens, small cats and ferrets. Reduces the incidence of Flea Allergy Dermatitis. Larval flea stages are killed in the surroundings of EXELPET Vet Series Monthly Flea, Intestinal &amp; Heartworm Treatment treated pets;</li><li>• the prevention of heartworm (<i>Dirofilaria immitis</i>) infection in kittens, small cats and ferrets;</li></ul> <p>For the treatment and control of:</p> <p>Roundworm (<i>Toxocara cati</i>, <i>Toxascaris leonina</i>) kills larval (L4), immature and adult worms. Hookworm (<i>Ancylostoma tubaeforme</i>, <i>Ancylostoma braziliense</i>) [this hookworm is usually restricted to tropical areas in Australia], <i>Uncinaria stenocephala</i>), kills larval (L4), immature and adult worms of all species.</p> <p>Ear mites (<i>Otodectes cynotis</i>);</p> <p>Lungworm (<i>Aelurostrongylus abstrusus</i>) in kittens and small cats.</p> <p>One application lasts for up to a month.</p> <p>Water resistant formulation</p>
---------	--

Net Contents:	[1 x 0.4 mL] [2 x 0.4mL] [3 x 0.4 mL] [6 x 0.4 mL]
---------------	--

Directions for Use:	
Restraints:	
Contraindications:	
Precautions:	<p>Use with caution in sick, debilitated or underweight animals. This product may be safely applied to heartworm infected cats. However a diagnostic test for heartworm prior to commencement of treatment is recommended to ensure the optimum health of cats. Take care to avoid the product coming into contact with the eyes or mouth of the animal. Ingestion by the recipient or in-contact animals should be prevented.</p> <p>The liquid vehicle in this product may discolour or damage certain surfaces and fabrics e.g polished floorboards, leather etc. Exclude the animal from contact with such surfaces until the product dries on the animal's coat.</p>
Side Effects:	Occasionally hair loss may occur at the application site. This is usually a single occurrence and hair will grow back uneventfully.
Dosage and Administration:	<p>For external use only Do not give product by mouth One tube treats kittens and small cats up to 4kg bodyweight</p> <p>Application: Hold tube upright and pull off the cap. Reverse the cap and push cap back on tube. Twist cap to break seal, then remove cap from tube. Apply on the back of the head. The animal should be standing for easy application. Remove any collar prior to application and replace when product is dry. Part the hair until the skin is visible. Place the tip of the tube on the skin and squeeze the tube firmly twice to apply the solution directly on the skin. Avoid pet's eyes or mouth.</p> <p>[Images 1 to 4]</p> <p>Repeat monthly or as directed. This product remains efficacious following shampoo treatment, swimming or exposure to rain. If washing animal during use of this product use a soap free shampoo. Treatment for heartworm should occur regularly at monthly intervals.</p>
General Directions:	<p><b>FLEA CONTROL AND PREVENTION</b> Treatment of pets with this product rapidly kills fleas and reduces the incidence of flea allergy dermatitis (FAD). This product may be used as the only product for flea control as it breaks the life cycle and kills fleas emerging from the environment. More rapid resolution of heavy environmental infestations may be obtained by additional environmental control measures using a suitable registered product.</p> <p><b>HEARTWORM PREVENTION</b> Treatment with this product should start one month before the first exposure to mosquitoes and must be applied at one monthly intervals to maintain continuous year-round protection. When replacing another heartworm preventive product, the first treatment with this product must be given within one month of the last dose of the previous product.</p>

**WORM CONTROL** This product treats and controls the major gastrointestinal nematodes of cats but does not control tapeworms. In order to control tapeworms use EXELPET™ Vet Series™ Spot-On All-Wormer for Cats. If worm problems persist, consult a veterinarian.

**TREATMENT AND CONTROL OF EAR MITES** For the treatment of ear mites (*Otodectes cynotis*), this product is highly efficacious as a single dose. Monthly application will control any subsequent ear mite infestation. To maximize efficacy thorough cleaning of the ear canal is recommended with a product that is registered for that purpose or as directed by a veterinarian.

**TREATMENT AND CONTROL OF LUNGWORM** For the treatment of lungworm (*Aelurostrongylus abstrusus*), this product is highly efficacious as a single dose. Monthly application will control any subsequent lungworm infections.

**KITTENS** may be treated with this product from 9 weeks of age.

For control of roundworms and hookworms kittens require worming at 6 and 8 weeks of age. When worming kittens prior to commencing use a specific worming agent such as EXELPET™ Vet Series™ Spot-On All-Wormer for Cats. Once treatment with this product is commenced every month, worms will be continuously controlled.

**FERRETS:** The treatment of ferrets weighing less than 0.8kg should be based on a risk-benefit assessment by a veterinarian. Treatment of ferrets may be repeated at two weekly intervals when flea infestation is particularly heavy.

**PREGNANCY AND LACTATION**

No primary embryo-toxic, teratogenic or reproductive toxic effects have been observed with imidacloprid or moxidectin in laboratory species. Evidence suggests that no adverse effects are to be expected in pregnant and lactating cats. However, the safety of this product has not been established during pregnancy and lactation.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

Withholding Periods:

Trade Advice:

Safety Directions:

Harmful if swallowed. Will damage the eyes. Repeated exposure may cause allergic disorders. Avoid contact with the eyes. If product in eyes, wash it out immediately with water. Wash hands after use

First Aid Instructions:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

First Aid Warnings:

Additional User Safety:

Environmental Statements:	
---------------------------	--

Disposal:	Dispose of used applicators by wrapping in paper and placing in garbage.
-----------	--

Storage:	Store below 25°C (Air conditioning). For batch and expiry information see bottom of carton.
----------	--