



Company Name: SHANDONG RAINBOW INTERNATIONAL CO., LTD.
Product Name: PRECARE 850 WG HERBICIDE
APVMA Approval No: 80592/101189

| | |
|--------------------|--------------------------|
| Label Name: | PRECARE 850 WG HERBICIDE |
|--------------------|--------------------------|

| | |
|-------------------------|--|
| Signal Headings: | CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING |
|-------------------------|--|

| | |
|--------------------------------|----------------------|
| Constituent Statements: | 850 g/kg propyzamide |
|--------------------------------|----------------------|

| | | | | |
|------------------------|--|-----------|----------|-----------|
| Mode of Action: | <table border="1"><tr><td>GROUP</td><td>D</td><td>HERBICIDE</td></tr></table> | GROUP | D | HERBICIDE |
| GROUP | D | HERBICIDE | | |

| | |
|-----------------------------|--|
| Statement of Claims: | For selective control of certain grasses and broad leaf weeds in lettuce, sports turf, home lawns and legume seed crops and pastures as per the DIRECTIONS FOR USE TABLE |
|-----------------------------|--|

| | |
|----------------------|--|
| Net Contents: | 500 g 1 kg 2 kg 5 kg 10 kg 15 kg 20 kg |
|----------------------|--|

| | |
|-------------------|--|
| Restrains: | |
|-------------------|--|

| | |
|----------------------------|--|
| Directions for Use: | Refer to attachment This section contains file attachment. File Name: Label - PRECARE 850 WG HERBICIDE.doc File Size: 80384 bytes |
|----------------------------|--|

| | |
|---------------------------|-------------------------|
| Other Limitations: | Refer to attached label |
|---------------------------|-------------------------|

| | |
|-----------------------------|-------------------------|
| Withholding Periods: | Refer to attached label |
|-----------------------------|-------------------------|

| | |
|----------------------|----------------|
| Trade Advice: | Not applicable |
|----------------------|----------------|

| | |
|------------------------------|-------------------------|
| General Instructions: | Refer to attached label |
|------------------------------|-------------------------|

| | |
|----------------------------|-------------------------|
| Resistance Warning: | Refer to attached label |
|----------------------------|-------------------------|

| | |
|---------------------|-------------------------|
| Precautions: | Refer to attached label |
|---------------------|-------------------------|

| | |
|---------------------|-------------------------|
| Protections: | Refer to attached label |
|---------------------|-------------------------|

| | |
|------------------------------|--|
| Storage and Disposal: | <p>Single-rinse or shake remainder into spray tank/water/dip/drench, etc. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p> <p>This section contains file attachment. File Name: Label - PRECARE 850 WG HERBICIDE.doc File Size: 80896 bytes</p> |
|------------------------------|--|

| | |
|---------------------------|--|
| Safety Directions: | <p>Harmful if inhaled. Will irritates the eyes. Avoid contact with eyes and skin. DO NOT inhale dust. When opening the container and using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, face shield or goggles and disposable dust face mask covering mouth and nose. If product in eye, wash it out immediately with water. Wash hands after use. After each days' use, wash gloves, face shield or goggles, and contaminated clothing.</p> |
|---------------------------|--|

| | |
|--------------------------------|---|
| First Aid Instructions: | If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126. |
|--------------------------------|---|

| | |
|----------------------------|----------------|
| First Aid Warnings: | Not applicable |
|----------------------------|----------------|

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PRECARE 850 WG HERBICIDE

ACTIVE CONSTITUENT: 850 g/kg PROPYZAMIDE

GROUP D HERBICIDE

For selective control of certain grasses and broad leaf weeds in Lettuce, Sports turf, Home lawns and Legume seed crops and pastures, as per the DIRECTIONS FOR USE TABLE

IMPORTANT: READ THE INSTRUCTIONS ON THE LABEL AND LEAFLET THOROUGHLY BEFORE USING THIS PRODUCT.

IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

D.O.M:
Batch No.:

| CONTENTS | APVMA Approval Number |
|-----------------|------------------------------|
| [] 500g | |
| [] 1 Kg | |
| [] 2 Kg | |
| [] 5 Kg | |
| [] 10 Kg | |
| [] 15 Kg | |
| [] 20 Kg | |



GENERAL INSTRUCTIONS

Best results are obtained by applying the product to cool, wet soil.

Storage and Disposal

Single-rinse or shake remainder into spray tank/water/dip/drench, etc. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

Safety Directions

Harmful if inhaled. Will irritate the eyes. Avoid contact with eyes and skin. DO NOT inhale dust. When opening the container and using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, face shield or goggles and disposable dust face mask covering mouth and nose. If product in eye, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, face shield or goggles, and contaminated clothing.

First Aid

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

Material Safety Data Sheet

For further information refer to the Material Safety Data Sheet which is available from Shandong Rainbow International Co., Ltd, the supplier.

Condition of Sale

"Shandong Rainbow International Co., Ltd ('Rainbow') shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Rainbow's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Rainbow has any authority to add to or alter these conditions."

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PRECARE 850 WG HERBICIDE

ACTIVE CONSTITUENT: 850 g/kg PROPYZAMIDE

GROUP **D** HERBICIDE

For selective control of certain grasses and broad leaf weeds in Lettuce,
Sports turf, Home lawns and Legume seed crops and pastures, as per the
DIRECTIONS FOR USE TABLE

**IMPORTANT: READ THE INSTRUCTIONS THOROUGHLY
BEFORE USING THIS PRODUCT.**

APVMA Approval No.:

IN A TRANSPORT EMERGENCY

DIAL 000
POLICE OR FIRE BRIGADE

DIRECTIONS FOR USE

| Crops | Weeds Controlled | State | Rate kg / ha | Critical Comments | |
|------------------------------|---|------------|-----------------------------------|---|--|
| Lettuce (direct sown) | Barnyard Grass, Blackberry Nightshade, Chickweed, | All States | 2.65 kg in 330 – 550L | Apply pre-emergent, immediately after sowing. For best results, prepare the seed bed free from clods. Sufficient irrigation to wet the top 3 to 4 cm of soil should be applied within 24 hours. | |
| Transplanted | Portulaca, Winter grass, Rye grass, Summer Grass, Wireweed, Prince of Wales feather, Shepherd's Purse, Nettles. | | | Apply immediately after transplanting. For best results, prepare the seed bed free from clods. Sufficient irrigation to wet the top 3 to 4 cm of soil should be applied within 24 hours. | |
| | | Vic only | 1.35 kg in 300 – 550L | Apply on light sandy soils, low in organic matter | |
| Turf & lawns Common couch | Winter grass | All States | 0.71 kg (7g/100m ²) | Rate/Bowling Green 37 m x 37 m 100g | Apply during the Autumn and Winter, if established turf is infested with seedling winter grass. Ensure a uniform coverage. Irrigate immediately after application with 12 – 25 mm irrigation or rain and again 24 hour later. Repeat treatment if necessary on Qld blue couch after 4 weeks. DO NOT RESEED FOR 60 DAYS AFTER TREATMENT. Use ONLY on established turf. DO NOT use on bluegrass, ryegrass, fescue or bent grass lawns. |
| Queensland blue couch | | Qld only | 0.35 kg (3.5g/100m ²) | 50g | |
| Buffalo grass | | WA only | 0.71 kg (7g/100m ²) | 100g | |
| Lucerne, | Annual | NSW, | 0.59 – 0.88 | SEEDLING CROPS: Apply after the third | |

| | | | | |
|---|---|-------------------------------------|-------------------|--|
| Clover, Medics etc. Grown for forage, Hay or Seed production | Ryegrass, Winter Grass, Barley Grass, Silver grass. Prairie Grass, Canary Grass, Great Brome, Squirrel tail Fescue and Rats tail Fescue. | ACT, S A, W A, Tas only | kg | trifoliolate leaf is fully developed. ESTABLISHED CROPS: Apply any time before the end of July. WEEDS: Apply when weeds are at post or Pre-emergent stages. BEST RESULTS: When applied during cool and moist conditions. Rain or irrigation is necessary to thoroughly wet the top 3 to 4 cm of soil. This is similar to 25 mm rain. Use rates towards the higher end of the range on heavy soils, if conditions are not optimal or where a heavy grass population is expected. Grazing or cutting PRIOR to treatment is recommended. |
| | Wild oats, Perennial Ryegrass, Bent grass, English couch, Yorkshire fog grass, Chickweed, Seedling Sorrel, Blackberry nightshade, Patterson's curse, seedling Wireweed. | | 0.88 – 1.18 kg | |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD

DO NOT HARVEST, GRAZE OR CUT FOR STOCK FOOD OR FOR SEED FOR 25 DAYS AFTER APPLICATION

NOT CLASSIFIED AS DANGEROUS GOODS FOR TRANSPORT BY ROAD AND RAIL

GENERAL INSTRUCTIONS

Best results are obtained by applying the product to cool, wet soil.

Spray Preparation

PRECARE 850 WG HERBICIDE is a water dispersible granule formulation and must be thoroughly dispersed in water and applied as a dilute spray solution.

- Partly fill the boomspray-tank with water so to form a slurry.
- Add the required amount of PRECARE 850 WG HERBICIDE for the area to be sprayed into water containers.
- Add this correct amount of pre-mixed PRECARE 850 WG HERBICIDE into the boomspray-tank with the agitation system operating.
- Fill up to the correct volume with water. The mixture must be kept in suspension at all times by continuous agitation, otherwise bottom settling of the product will result. Re-dispersion of the product will be extremely difficult and blockages of filters are likely to occur.
- When mixing with other chemical products ensure to check all label instructions prior to chemicals being tank mixed with PRECARE 850 WG HERBICIDE to check for chemical compatibility. Test a small area for any adverse affects prior to application.

DO NOT mix with any products that contains the active constituent, **MCPA**. If tank mixing, PRECARE 850 WG HERBICIDE must be in suspension before adding other herbicides, insecticides or surfactant. Check all labels **Directions for Use** table prior to tank mixing with PRECARE 850 WG HERBICIDE. Wash sprayer thoroughly after use.

Equipment

Always ensure the sprayer is clean, using a suitable spray and boom cleaner as directed. It is recommended that for turf situations, up to 100 L/ha spray volume is required.

WEED RESISTANCE WARNING

GROUP D HERBICIDE

PRECARE 850 WG HERBICIDE is a member of the benzamide group of herbicides with the inhibitor of microtubule assembly mode of action. For weed resistance management this is a Group D herbicide. Some naturally occurring weed biotypes resistant to PRECARE 850 WG HERBICIDE and other benzamide herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by PRECARE 850 WG HERBICIDE or other benzamide herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Shandong Rainbow International Co., Ltd accepts no liability for any losses that may result from the failure PRECARE 850 WG HERBICIDE to control the resistant weeds. Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or a Rainbow representative.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

- **DO NOT** contaminate streams, rivers or waterways by cleaning of equipment, disposal of wastes or used containers.

PROTECTION OF CROPS

- **DO NOT** apply to, or allow spray to drift onto crops, pastures or non target – desirable plants, nor onto agricultural land scheduled for cropping or pasture, as injury to the crop or pasture may occur.

PROTECTION OF LIVESTOCK

- **DO NOT** graze sheep, cut for stock feed (including poultry and pigs) any treated areas (for 25 days after application).
- **DO NOT FEED TURF / LAWN CLIPPINGS TO POULTRY OR LIVESTOCK**

Storage and Disposal

Single-rinse or shake remainder into spray tank/water/dip/drench, etc. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

Safety Directions

Harmful if inhaled. Will irritates the eyes. Avoid contact with eyes and skin. DO NOT inhale dust. When opening the container and using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, face shield or goggles and disposable dust face mask covering mouth and nose. If product in eye, wash it out immediately with water. Wash hands after use. After each days' use, wash gloves, face shield or goggles, and contaminated clothing.

First Aid

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

Material Safety Data Sheet

For further information refer to the Material Safety Data Sheet which is available from Shandong Rainbow International Co., Ltd, the supplier.

Condition of Sale

“Shandong Rainbow International Co., Ltd (‘Rainbow’) shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Rainbow’s skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Rainbow has any authority to add to or alter these conditions.”