



**Product Name:** Omethon 290 Insecticide  
**APVMA Approval Number:** 81882/112977

|                                |   |
|--------------------------------|---|
| <b>Label name:</b>             | Omethon 290 Insecticide   |
| <b>Signal headings:</b>        | POISON<br>KEEP OUT OF REACH OF CHILDREN<br>READ SAFETY DIRECTIONS BEFORE OPENING OR USING   |
| <b>Constituent statements:</b> | ACTIVE CONSTITUENT: 290 g/L OMETHOATE<br>(an anti-cholinesterase compound)  |
| <b>Mode of action</b>          | <b>GROUP 1B INSECTICIDE</b>   |
| <b>Statement of Claims:</b>    | For control of redlegged earth mite as a barrier spray.<br>Label – IMPORTANT: Read attached leaflet before using this product<br>Leaflet – IMPORTANT: Read this leaflet before using this product   |
| <b>Net Contents:</b>           | 10L - 110L  |
| <b>Restraints:</b>             | DO NOT apply with boomspray equipment unless operators are protected by enclosed cabs.<br>DO NOT use open mixing/loading systems for boom spray and aerial equipment.<br>DO NOT apply by spray equipment carried on the back of the user. |
| <b>Directions for Use:</b>     | Attached below table.   |
| <b>Other limitations:</b>      | DO NOT use this product in the Home Garden  |
| <b>Withholding Periods:</b>    | Not required when used according to label directions  |
| <b>Trade Advice:</b>           |   |
| <b>General</b>                 | General instructions  |

|                      |  |
|----------------------|--|
| <b>instructions:</b> | <p><b>Mixing</b><br/>Mix the required quantity of Omethon 290 Insecticide in sufficient water to give even coverage. Boom sprayers and aircraft are satisfactory for spraying Omethon 290 Insecticide.</p> <p><b>Compatibility</b><br/>Compatible with most commonly used herbicides. Ensure Omethon 290 Insecticide is thoroughly mixed in the spray tank before adding a herbicide. DO NOT mix concentrates together but add each to spray tank separately. As formulations of other manufacturer's products are beyond the control of Ruralco Holdings Limited, all mixtures should be tested prior to mixing commercial quantities. As changes in climatic conditions can alter the sensitivity of plants to mixtures of sprays, Ruralco cannot be responsible for the behaviour of such mixtures.</p> |
|----------------------|--|

|                            |  |
|----------------------------|--|
| <b>Resistance warning:</b> | <p><b>Insecticide Resistance Warning GROUP 1B INSECTICIDE</b><br/>For insecticide resistance management Omethon 290 Insecticide is a Group 1B insecticide.<br/>Some naturally occurring insect biotypes resistant to Omethon 290 Insecticide and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly. The effectiveness of Omethon 290 Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Ruralco Holdings Limited accepts no liability for any losses that may result from the failure of Omethon 290 Insecticide to control resistant insects. Omethon 290 Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Ruralco representative or local agricultural department agronomist.</p> |
|----------------------------|--|

|                     |   |
|---------------------|---|
| <b>Precautions:</b> | <p><b>RE-ENTRY PERIODS: Field crops – use as Barrier Spray around crops</b><br/>Do not allow entry into treated areas for two days. If prior entry is required, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and gloves. Clothing must be laundered after each day's use.</p> |
|---------------------|---|

|                     |  |
|---------------------|--|
| <b>Protections:</b> | <p><b>PROTECTION OF LIVESTOCK</b><br/><b>DANGEROUS TO BEES. DO NOT SPRAY ANY PLANTS IN FLOWER WHILE BEES ARE FORAGING.</b></p> <p><b>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</b><br/>DO NOT contaminate streams, rivers or waterways with the chemical or used containers.</p> |
|---------------------|--|

|                                |  |
|--------------------------------|--|
| <b>Storage &amp; disposal:</b> | <p><b>STORAGE AND DISPOSAL</b><br/>Store in the closed, original container in a dry, cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.<br/>Triple-rinse container before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.<br/>If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging below 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.</p> |
|--------------------------------|--|

|  |  |
|--|--|
|  | Refillable containers (110L)<br>Empty containers fully into application equipment. Close all valves and return to [point of supply/designated collection point/other specific collection details] for refill or storage. |
|--|--|

|                           |  |
|---------------------------|--|
| <b>Safety Directions:</b> | <p><b>SAFETY DIRECTIONS</b></p> <p>Product and spray are poisonous if absorbed by skin contact or inhaled or swallowed. Will irritate the eyes. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin and clothing. DO NOT inhale spray mist.</p> <p>When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, water resistant footwear and face shield or goggles.</p> <p>When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves.</p> <p>If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and face shield or goggles and contaminated clothing.</p> |
|---------------------------|--|

|                   |  |
|-------------------|--|
| <b>First Aid:</b> | <p><b>FIRST AID</b></p> <p>If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.</p> |
|-------------------|--|

|                            |  |
|----------------------------|--|
| <b>First Aid Warnings:</b> |  |
|----------------------------|--|

#### DIRECTIONS FOR USE

| CROP             | PEST CONTROLLED                     | RATE      | CRITICAL COMMENTS   |
|------------------|-------------------------------------|-----------|---|
| Barrier spraying | Redlegged earth mite (NSW, WA only) | 300 mL/ha | <p>To prevent invasion, spray bare earth outside crop as well as weeds along the fence line using an offset jet.</p> <p><b>Note:</b> Rain will reduce the efficacy of the bare earth treatment but leave an effective barrier on the weeds.</p> |

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**